

The 2012 CWBF Checklist of the Birds of Taiwan

Tzung-Su DING, Ching-Sung JUAN, Ruey-Shing LIN, Chih-Yuan, PAN, Yi-Jung TSAI, John WU, and Yu-Hsiang YANG

Bird Record Committee, Chinese Wild Bird Federation
No.3, Ln. 36, Jinglong St., Wenshan Dist., Taipei City 116, TAIWAN
E-mail: mail@bird.org.tw

This checklist of the birds of Taiwan is prepared by Bird Record Committee, an official committee of Chinese Wild Bird Federation. The committee updates the checklist annually to assure it is the most complete and accurate checklist for the birds found in Taiwan. The current version was released on March 1, 2012. The geographical area of this checklist covers the land and sea under the jurisdiction of the government of the Republic of China (widely known as ‘Taiwan’), including Taiwan Island and its adjacent islands (Penghu, Lanyu, and Ludao), and two groups of outlying islands near mainland China: Matsu islands and Kinmen islands. Based on the geographical location and avifauna similarity, we divide the geographical area of this checklist into three regions: Taiwan (including adjacent islands), Matsu, and Kinmen. The taxonomy and English names for birds in this checklist follow the Clements Checklist of Birds of the World Version 6.6 (Clements et al. 2011), which was released online on August 23, 2011. The only exception that does not follow the Clements 6.6 checklist is Taiwan Rosefinch (*Carpodacus formosanus*), which we accept it as an endemic species of Taiwan, as suggested by Wu et al. (2011). In total, the checklist includes 601 bird species (10 naturalized species) and recognizes 24 endemic species and 59 endemic subspecies of Taiwan.

This checklist categorizes the birds of Taiwan into six statuses: **Resident** (remain year-round in a specific region), **Winter Visitor** (spend only the winter in a specific region), **Summer Visitor** (spend only the summer in a specific region), **Transient Migrant** (only stop for a short period of time during their annual migration), **Pelagic Seabird** (mostly stay on open sea and rarely visit land), and **Vagrant** (recorded outside of its normal distribution range). A given species might have multiple statuses within a specific region. With our best knowledge on the distribution and abundance of birds in Taiwan, we assign the species to four categories: **Common** (have a >70% chance to record the species during a day-trip in appropriate habitat and time), **Uncommon** (have a 30%-70% chance to record the species during a day-trip in appropriate habitat and time), **Occasional** (have a <30% chance to record the species during a day-trip in appropriate habitat and time), and **Vagrant** (with very limited records).

Comments and suggestions on this checklist are welcome and should be sent to Chinese Wild Bird Federation.

Literature cited

- Clements, J.F., T.S. Schulenberg, M.J. Iliff, B.L. Sullivan, C.L. Wood, and D. Roberson. 2011. The Clements checklist of birds of the world: Version 6.6. Downloaded from <http://www.birds.cornell.edu/clementschecklist/Clements%206.6.xls>
- Wu, H.-C., R.-C. Lin, H.-Y. Hung, C.-F. Yeh, J.-H. Chu, X.-J. Yang, C.-J. Yao, F.-S. Zou, C.-T. Yao, S.-H. Li, and F.-M. Lei. 2011. Molecular and morphological evidences reveal a cryptic species in the Vinaceous Rosefinch *Carpodacus vinaceus* (Fringillidae; Aves). *Zoologica Scripta* 40:468-478.

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
C01	Anatidae					
1	Lesser Whistling-Duck	<i>Dendrocygna javanica</i>	V	-	-	
2	Swan Goose	<i>Anser cygnoides</i>	WO	-	WO	
3	Taiga Bean-Goose	<i>Anser fabalis</i>	WO	TO	WO	
4	Tundra Bean-Goose	<i>Anser serrirostris</i>	WO	TO	WO	
5	Greater White-fronted Goose	<i>Anser albifrons</i>	WO	WO	-	
6	Lesser White-fronted Goose	<i>Anser erythropus</i>	TO	-	-	
7	Graylag Goose	<i>Anser anser</i>	V	-	-	
8	Brant	<i>Branta bernicla</i>	V	-	-	
9	Cackling Goose	<i>Branta hutchinsii</i>	V	-	-	
10	Mute Swan	<i>Cygnus olor</i>	V	-	-	
11	Tundra Swan	<i>Cygnus columbianus</i>	V	-	V	
12	Whooper Swan	<i>Cygnus cygnus</i>	V	-	V	
13	Ruddy Shelduck	<i>Tadorna ferruginea</i>	WO	-	WO	
14	Common Shelduck	<i>Tadorna tadorna</i>	WO	-	WO	
15	Cotton Pygmy-Goose	<i>Nettapus coromandelianus</i>	V	-	-	
16	Mandarin Duck	<i>Aix galericulata</i>	RU / TO	TO	TO	
17	Gadwall	<i>Anas strepera</i>	WU	WO	WO	
18	Falcated Duck	<i>Anas falcata</i>	WO	WO	WU	
19	Eurasian Wigeon	<i>Anas penelope</i>	WC	TU	WC	
20	American Wigeon	<i>Anas americana</i>	WO	-	WO	
21	Mallard	<i>Anas platyrhynchos</i>	WU / IO	TU	WU	
22	Eastern Spot-billed Duck	<i>Anas zonorhyncha</i>	RU / WU	TO	RC	
23	Philippine Duck	<i>Anas luzonica</i>	V	-	-	
24	Northern Shoveler	<i>Anas clypeata</i>	WC	TO	WU	
25	Northern Pintail	<i>Anas acuta</i>	WC	TO	WC	
26	Garganey	<i>Anas querquedula</i>	WO / TC	TO	WU	
27	Baikal Teal	<i>Anas formosa</i>	WO	TO	WO	
28	Green-winged Teal	<i>Anas crecca</i>	WC	TU	WC	
29	Red-crested Pochard	<i>Netta rufina</i>	V	-	-	
30	Canvasback	<i>Aythya valisineria</i>	V	-	-	
31	Common Pochard	<i>Aythya ferina</i>	WO	-	WO	
32	Baer's Pochard	<i>Aythya baeri</i>	WO	-	V	
33	Ferruginous Duck	<i>Aythya nyroca</i>	V	-	-	
34	Tufted Duck	<i>Aythya fuligula</i>	WC	TO	WO	
35	Greater Scaup	<i>Aythya marila</i>	WO	-	WO	
36	Common Goldeneye	<i>Bucephala clangula</i>	TO	-	V	
37	Smew	<i>Mergus albellus</i>	TO	-	-	
38	Common Merganser	<i>Mergus merganser</i>	V	-	-	
39	Red-breasted Merganser	<i>Mergus serrator</i>	WO	WO	V	
40	Scaly-sided Merganser	<i>Mergus squamatus</i>	WO	-	-	
C02	Phasianidae					
41	Japanese Quail	<i>Coturnix japonica</i>	TO	TO	TO	
42	Blue-breasted Quail	<i>Coturnix chinensis</i>	RO	-	-	
43	Taiwan Partridge	<i>Arborophila crudigularis</i>	RU	-	-	Endemic Species
44	Chinese Bamboo-Partridge	<i>Bambusicola thoracicus</i>	RC	-	-	Endemic SSP. (<i>B. t. sonori vox</i>)
45	Swinhoe's Pheasant	<i>Lophura swinhoii</i>	RU	-	-	Endemic Species
46	Mikado Pheasant	<i>Syrmaticus mikado</i>	RO	-	-	Endemic Species
47	Ring-necked Pheasant	<i>Phasianus colchicus</i>	RU	-	IC	Endemic SSP. (<i>P. c. formosanus</i>)
C03	Gaviidae					
48	Red-throated Loon	<i>Gavia stellata</i>	V	WO	WO	
49	Arctic Loon	<i>Gavia arctica</i>	V	-	V	
50	Pacific Loon	<i>Gavia pacifica</i>	V	-	-	
51	Yellow-billed Loon	<i>Gavia adamsii</i>	-	V	-	
C04	Podicipedidae					
52	Little Grebe	<i>Tachybaptus ruficollis</i>	RC / WC	WO / TU	RC	
53	Horned Grebe	<i>Podiceps auritus</i>	WO	TO	WO	
54	Red-necked Grebe	<i>Podiceps grisegena</i>	-	V	-	
55	Great Crested Grebe	<i>Podiceps cristatus</i>	WO	TO	WC	
56	Eared Grebe	<i>Podiceps nigricollis</i>	WO	TO	WO	
C05	Diomedeidae					
57	Laysan Albatross	<i>Phoebastria immutabilis</i>	PV	-	-	
58	Black-footed Albatross	<i>Phoebastria nigripes</i>	PO	-	PO	
59	Short-tailed Albatross	<i>Phoebastria albatrus</i>	PO	-	PO	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant.

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
C06	Procellariidae					
60	Tahiti Petrel	<i>Pterodroma rostrata</i>	PV	-	-	
61	Bonin Petrel	<i>Pterodroma hypoleuca</i>	PO	-	-	
62	Bulwer's Petrel	<i>Bulweria bulwerii</i>	PC	SU	-	
63	Streaked Shearwater	<i>Calonectris leucomelas</i>	PC	PU	-	
64	Flesh-footed Shearwater	<i>Puffinus carneipes</i>	PV	-	-	
65	Wedge-tailed Shearwater	<i>Puffinus pacificus</i>	PO	-	-	
66	Sooty Shearwater	<i>Puffinus griseus</i>	PO	PO	-	
67	Short-tailed Shearwater	<i>Puffinus tenuirostris</i>	PO	PO	-	
C07	Hydrobatidae					
68	Leach's Storm-Petrel	<i>Oceanodroma leucorhoa</i>	-	PV	-	
69	Swinhoe's Storm-Petrel	<i>Oceanodroma monorhis</i>	PU	PO	-	
70	Tristram's Storm-Petrel	<i>Oceanodroma tristrami</i>	PV	-	-	
C08	Phaethontidae					
71	White-tailed Tropicbird	<i>Phaethon lepturus</i>	PV	-	-	
72	Red-billed Tropicbird	<i>Phaethon aethereus</i>	PV	-	-	
73	Red-tailed Tropicbird	<i>Phaethon rubricauda</i>	PO	-	-	
C09	Ciconiidae					
74	Black Stork	<i>Ciconia nigra</i>	WO / TO	-	WO	
75	Oriental Stork	<i>Ciconia boyciana</i>	WO	-	WO	
C10	Fregatidae					
76	Great Frigatebird	<i>Fregata minor</i>	PO	PO	PO	
77	Lesser Frigatebird	<i>Fregata ariel</i>	PO	-	PO	
C11	Sulidae					
78	Masked Booby	<i>Sula dactylatra</i>	PO	-	-	
79	Brown Booby	<i>Sula leucogaster</i>	PC	TO	TO	
80	Red-footed Booby	<i>Sula sula</i>	PO	PO	-	
C12	Phalacrocoracidae					
81	Great Cormorant	<i>Phalacrocorax carbo</i>	WC	WU	WC	
82	Japanese Cormorant	<i>Phalacrocorax capillatus</i>	WO	TO	V	
83	Pelagic Cormorant	<i>Phalacrocorax pelagicus</i>	V	V	V	
C13	Pelecanidae					
84	Dalmatian Pelican	<i>Pelecanus crispus</i>	V	-	TO	
C14	Ardeidae					
85	Great Bittern	<i>Botaurus stellaris</i>	WO	TO	WO	
86	Yellow Bittern	<i>Ixobrychus sinensis</i>	RC / SC	SU	SU / TU	
87	Schrenck's Bittern	<i>Ixobrychus eurhythmus</i>	TO	TO	TO	
88	Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>	RU	SO	SO	
89	Black Bittern	<i>Ixobrychus flavicollis</i>	TO	TO	TO	
90	Gray Heron	<i>Ardea cinerea</i>	WC	WU	WC	
91	Purple Heron	<i>Ardea purpurea</i>	WO	TO	TO	
92	Great Egret	<i>Ardea alba</i>	WC / SO	WC	WC	
93	Intermediate Egret	<i>Mesophoyx intermedia</i>	WC / SO	WU	WU	
94	White-faced Heron	<i>Egretta novaehollandiae</i>	V	-	-	
95	Chinese Egret	<i>Egretta euphotos</i>	TU	TO	TO	
96	Little Egret	<i>Egretta garzetta</i>	RC / WU / TC	RC	RC	
97	Pacific Reef-Heron	<i>Egretta sacra</i>	RU	RC	RU	
98	Pied Heron	<i>Egretta picata</i>	V	-	-	
99	Cattle Egret	<i>Bubulcus ibis</i>	RC	SO / TC	RU / TU	
100	Chinese Pond-Heron	<i>Ardeola bacchus</i>	WO	SC / TC	SU / TU	
101	Javan Pond-Heron	<i>Ardeola speciosa</i>	V	-	-	
102	Striated Heron	<i>Butorides striata</i>	RU / TO	S O	TO	
103	Black-crowned Night-Heron	<i>Nycticorax nycticorax</i>	RC / WO / TO	RO	RC	
104	Rufous Night-Heron	<i>Nycticorax caledonicus</i>	V	-	-	
105	Japanese Night-Heron	<i>Gorsachius goisagi</i>	TO	TO	-	
106	Malayan Night-Heron	<i>Gorsachius melanophorus</i>	RC	-	V	
C15	Threskiornithidae					
107	Glossy Ibis	<i>Plegadis falcinellus</i>	V	-	-	
108	Sacred Ibis	<i>Threskiornis aethiopicus</i>	IU	IO	-	
109	Black-headed Ibis	<i>Threskiornis melanocephalus</i>	WO / TO	-	TO	
110	Crested Ibis	<i>Nipponia nippon</i>	V	-	-	
111	Eurasian Spoonbill	<i>Platalea leucorodia</i>	WO	-	TO	
112	Black-faced Spoonbill	<i>Platalea minor</i>	WO / TO	TO	WO	
C16	Pandionidae					
113	Osprey	<i>Pandion haliaetus</i>	WU	TO	RU	
C17	Accipitridae					

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant.

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
114	Black Baza	<i>Aviceda leophotes</i>	TO	-	-	
115	Oriental Honey-buzzard	<i>Pernis ptilorhynchus</i>	RU / TC	TO	TO	
116	Black-shouldered Kite	<i>Elanus caeruleus</i>	RO	RO	RU	
117	Black Kite	<i>Milvus migrans</i>	RO	TO	TO	
118	Brahminy Kite	<i>Haliastur indus</i>	V	-	V	
119	White-bellied Sea-Eagle	<i>Haliaeetus leucogaster</i>	V	V	V	
120	White-tailed Eagle	<i>Haliaeetus albicilla</i>	WO	-	-	
121	Cinereous Vulture	<i>Aegypius monachus</i>	WO	-	-	
122	Crested Serpent-Eagle	<i>Spilornis cheela</i>	RC	-	-	Endemic SSP. (<i>S. c. hoyae</i>)
123	Eastern Marsh-Harrier	<i>Circus spilonotus</i>	WU / TU	TO	TO	
124	Northern Harrier	<i>Circus cyaneus</i>	WO / TO	TO	TO	
125	Pied Harrier	<i>Circus melanoleucus</i>	TO	-	TO	
126	Crested Goshawk	<i>Accipiter trivirgatus</i>	RC	V	-	Endemic SSP. (<i>A. t. formosae</i>)
127	Chinese Goshawk	<i>Accipiter soloensis</i>	TC	TC	TO	
128	Japanese Sparrowhawk	<i>Accipiter gularis</i>	WO / TU	WU / TC	TO	
129	Besra	<i>Accipiter virgatus</i>	RU	TO	TO	Endemic SSP. (<i>A. v. fuscipactus</i>)
130	Eurasian Sparrowhawk	<i>Accipiter nisus</i>	WO	TO	TO	
131	Northern Goshawk	<i>Accipiter gentilis</i>	WO	TO	TO	
132	Gray-faced Buzzard	<i>Buteastur indicus</i>	TC / WO	TC	TU	
133	Common Buzzard	<i>Buteo buteo</i>	WU / TU	WC	WC	
134	Upland Buzzard	<i>Buteo hemilasius</i>	WO	TO	-	
135	Rough-legged Hawk	<i>Buteo lagopus</i>	WO	-	V	
136	Black Eagle	<i>Ictinaetus malayensis</i>	RO	-	-	
137	Greater Spotted Eagle	<i>Aquila clanga</i>	WO	TO	-	
138	Imperial Eagle	<i>Aquila heliaca</i>	TO	-	-	
139	Mountain Hawk-Eagle	<i>Nisaetus nipalensis</i>	RO	-	-	
C18	Falconidae					
140	Eurasian Kestrel	<i>Falco tinnunculus</i>	WC	RU / TC	WU	
141	Amur Falcon	<i>Falco amurensis</i>	TO	TO	TO	
142	Merlin	<i>Falco columbarius</i>	WO / TO	V	-	
143	Eurasian Hobby	<i>Falco subbuteo</i>	TU	TU	TO	
144	Peregrine Falcon	<i>Falco peregrinus</i>	RO / WU / TU	TO	WU	
C19	Rallidae					
145	Red-legged Crake	<i>Rallina fasciata</i>	V	V	-	
146	Slaty-legged Crake	<i>Rallina eurizonoides</i>	RU	-	-	Endemic SSP. (<i>R. e. formosana</i>)
147	Slaty-breasted Rail	<i>Gallirallus striatus</i>	RU	-	V	Endemic SSP. (<i>G. s. taiwanus</i>)
148	Brown-cheeked Rail	<i>Rallus indicus</i>	WO	TO	TO	
149	Brown Crake	<i>Amaurornis akool</i>	-	RO	-	
150	White-breasted Waterhen	<i>Amaurornis phoenicurus</i>	RC	RU	RC	
151	Baillon's Crake	<i>Porzana pusilla</i>	WO	TO	-	
152	Spotted Crake	<i>Porzana porzana</i>	V	-	-	
153	Ruddy-breasted Crake	<i>Porzana fusca</i>	RC	TO	RO	
154	Band-bellied Crake	<i>Porzana paykullii</i>	V	V	-	
155	White-browed Crake	<i>Porzana cinerea</i>	TO	-	-	
156	Watercock	<i>Gallicrex cinerea</i>	SO	TO	TO	
157	Purple Swamphen	<i>Porphyrio porphyrio</i>	V	-	-	
158	Eurasian Moorhen	<i>Gallinula chloropus</i>	RC	TO	RC	
159	Eurasian Coot	<i>Fulica atra</i>	WU	TO	WC	
C20	Gruidae					
160	Demoiselle Crane	<i>Anthropoides virgo</i>	V	-	-	
161	White-naped Crane	<i>Grus vipio</i>	V	-	-	
162	Common Crane	<i>Grus grus</i>	V	-	-	
163	Hooded Crane	<i>Grus monacha</i>	V	-	-	
164	Red-crowned Crane	<i>Grus japonensis</i>	V	-	-	
C21	Charadriidae					
165	Northern Lapwing	<i>Vanellus vanellus</i>	WU	TO	TO	
166	Gray-headed Lapwing	<i>Vanellus cinereus</i>	WO / TO	TO	TO	
167	Black-bellied Plover	<i>Pluvialis squatarola</i>	WC	TO	WU	
168	Pacific Golden-Plover	<i>Pluvialis fulva</i>	WC	TU	WU	
169	Lesser Sand-Plover	<i>Charadrius mongolus</i>	WU / TC	TO	TO	
170	Greater Sand-Plover	<i>Charadrius leschenaultii</i>	WU / TC	TO	WU / TU	
171	Kentish Plover	<i>Charadrius alexandrinus</i>	RU / WC	TU	RC	
172	Common Ringed Plover	<i>Charadrius hiaticula</i>	WO / TO	-	-	
173	Long-billed Plover	<i>Charadrius placidus</i>	WO	-	V	
174	Little Ringed Plover	<i>Charadrius dubius</i>	RO / WC	TU	WC / TC	
175	Oriental Plover	<i>Charadrius veredus</i>	TO	TO	TO	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant.

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
C22	Haematopodidae					
176	Eurasian Oystercatcher	<i>Haematopus ostralegus</i>	WO	SO	RU / WC	
C23	Recurvirostridae					
177	Black-winged Stilt	<i>Himantopus himantopus</i>	RU / WC	TO	WU	
178	Pied Avocet	<i>Recurvirostra avosetta</i>	WO	-	TO	
C24	Jacanidae					
179	Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>	RO / TO	TO	TO	
C25	Scolopacidae					
180	Terek Sandpiper	<i>Xenus cinereus</i>	TU	TO	TO	
181	Common Sandpiper	<i>Actitis hypoleucos</i>	WC	RC / TC	RC / TC	
182	Green Sandpiper	<i>Tringa ochropus</i>	WU	TO	WU	
183	Gray-tailed Tattler	<i>Tringa brevipes</i>	TC	TU	TU	
184	Wandering Tattler	<i>Tringa incana</i>	V	-	-	
185	Spotted Redshank	<i>Tringa erythropus</i>	WO	TO	TO	
186	Common Greenshank	<i>Tringa nebularia</i>	WC	TO	WC	
187	Nordmann's Greenshank	<i>Tringa guttifer</i>	TO	-	TO	
188	Lesser Yellowlegs	<i>Tringa flavipes</i>	V	-	-	
189	Marsh Sandpiper	<i>Tringa stagnatilis</i>	WU / TC	TO	TU	
190	Wood Sandpiper	<i>Tringa glareola</i>	WC / TC	TU	TU	
191	Common Redshank	<i>Tringa totanus</i>	WC	TO	WU	
192	Little Curlew	<i>Numenius minutus</i>	TU	TO	TO	
193	Whimbrel	<i>Numenius phaeopus</i>	WU / TC	TO	WC	
194	Far Eastern Curlew	<i>Numenius madagascariensis</i>	TU	TO	TO	
195	Eurasian Curlew	<i>Numenius arquata</i>	WU	TO	WC	
196	Black-tailed Godwit	<i>Limosa limosa</i>	WO / TU	TO	TO	
197	Bar-tailed Godwit	<i>Limosa lapponica</i>	WO / TU	TO	TO	
198	Ruddy Turnstone	<i>Arenaria interpres</i>	WC	TO	RU / TU	
199	Great Knot	<i>Calidris tenuirostris</i>	TU	TO	TO	
200	Red Knot	<i>Calidris canutus</i>	TU	TO	TO	
201	Sanderling	<i>Calidris alba</i>	WU	TU	WU	
202	Western Sandpiper	<i>Calidris mauri</i>	V	-	-	
203	Red-necked Stint	<i>Calidris ruficollis</i>	WC	TU	TO	
204	Little Stint	<i>Calidris minuta</i>	WO / TO	-	-	
205	Temminck's Stint	<i>Calidris temminckii</i>	WO	TO	TO	
206	Long-toed Stint	<i>Calidris subminuta</i>	WU	TO	TO	
207	Pectoral Sandpiper	<i>Calidris melanotos</i>	TO	TO	-	
208	Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	TC	TO	TU	
209	Dunlin	<i>Calidris alpina</i>	WC	TO	TO	
210	Curlew Sandpiper	<i>Calidris ferruginea</i>	WO / TC	TO	TO	
211	Stilt Sandpiper	<i>Calidris himantopus</i>	V	-	-	
212	Spoon-billed Sandpiper	<i>Eurynorhynchus pygmeus</i>	TO	-	TO	
213	Broad-billed Sandpiper	<i>Limicola falcinellus</i>	TU	TO	TO	
214	Buff-breasted Sandpiper	<i>Tryngites subruficollis</i>	V	-	-	
215	Ruff	<i>Philomachus pugnax</i>	WO	TO	TO	
216	Long-billed Dowitcher	<i>Limnodromus scolopaceus</i>	WO	-	V	
217	Asian Dowitcher	<i>Limnodromus semipalmatus</i>	TO	TO	TO	
218	Jack Snipe	<i>Lymnocryptes minimus</i>	TO	-	-	
219	Latham's Snipe	<i>Gallinago hardwickii</i>	TO	-	-	
220	Common Snipe	<i>Gallinago gallinago</i>	WC	TU	WU	
221	Pin-tailed Snipe	<i>Gallinago stenura</i>	WO / TC	TO	-	
222	Swinhoe's Snipe	<i>Gallinago megalala</i>	WO / TC	TO	TO	
223	Eurasian Woodcock	<i>Scolopax rusticola</i>	WO	TO	TO	
224	Red-necked Phalarope	<i>Phalaropus lobatus</i>	TC	TU	TU	
225	Red Phalarope	<i>Phalaropus fulicarius</i>	TO	TO	TO	
C26	Turnicidae					
226	Small Buttonquail	<i>Turnix sylvaticus</i>	RO	-	-	
227	Yellow-legged Buttonquail	<i>Turnix tanki</i>	V	TO	-	
228	Barred Buttonquail	<i>Turnix suscitator</i>	RC	-	-	Endemic SSP. (<i>T. s. rostratus</i>)
C27	Glareolidae					
229	Oriental Pratincole	<i>Glareola maldivarum</i>	SC	TU	TU	
C28	Rostratulidae					
230	Greater Painted-snipe	<i>Rostratula benghalensis</i>	RC	TO	TO	
C29	Laridae					
231	Black-legged Kittiwake	<i>Rissa tridactyla</i>	WO	TO	TO	
232	Saunders's Gull	<i>Saundersilarus saundersi</i>	WU	-	TO	
233	Silver Gull	<i>Chroicocephalus novaehollandiae</i>	V	-	-	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant.

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
234	Black-headed Gull	<i>Chroicocephalus ridibundus</i>	WC	TO	WC	
235	Brown-headed Gull	<i>Chroicocephalus brunnicephalus</i>	V	-	-	
236	Little Gull	<i>Hydrocoloeus minutus</i>	V	-	-	
237	Laughing Gull	<i>Leucophaeus atricilla</i>	V	-	-	
238	Franklin's Gull	<i>Leucophaeus pipixcan</i>	V	-	-	
239	Pallas's Gull	<i>Ichthyaetus ichthyaetus</i>	WO	-	V	
240	Black-tailed Gull	<i>Larus crassirostris</i>	WU	SC / TC	WO	
241	Mew Gull	<i>Larus canus</i>	WO	TO	WO	
242	Herring Gull	<i>Larus argentatus</i>	WO	TU	WU	
243	Caspian Gull	<i>Larus cachinnans</i>	WO	-	-	
244	Lesser Black-backed Gull	<i>Larus fuscus</i>	WO	-	-	
245	Slaty-backed Gull	<i>Larus schistisagus</i>	WO	TO	WU	
246	Glaucous Gull	<i>Larus hyperboreus</i>	V	-	-	
247	Brown Noddy	<i>Anous stolidus</i>	SO	TO	SO	
248	Sooty Tern	<i>Onychoprion fuscatus</i>	SO / TO	SO	-	
249	Bridled Tern	<i>Onychoprion anaethetus</i>	SU	SC	-	
250	Aleutian Tern	<i>Onychoprion aleuticus</i>	TU	TO	-	
251	Little Tern	<i>Sternula albifrons</i>	RU / SU	TO	TU	
252	Gull-billed Tern	<i>Gelochelidon nilotica</i>	WO / TU	TO	TO	
253	Caspian Tern	<i>Hydroprogne caspia</i>	WU	-	WU	
254	Black Tern	<i>Chlidonias niger</i>	V	-	-	
255	White-winged Tern	<i>Chlidonias leucopterus</i>	WO / TC	TU	TU	
256	Whiskered Tern	<i>Chlidonias hybrida</i>	WC / TC	TU	TU	
257	Roseate Tern	<i>Sterna dougallii</i>	SU	SC	SO	
258	Black-naped Tern	<i>Sterna sumatrana</i>	SU	SC	SO	
259	Common Tern	<i>Sterna hirundo</i>	TC	TO	TO	
260	Great Crested Tern	<i>Thalasseus bergii</i>	SU	SC	TO	
261	Sandwich Tern	<i>Thalasseus sandvicensis</i>	V	-	-	
262	Lesser Crested Tern	<i>Thalasseus bengalensis</i>	V	-	-	
263	Chinese Crested Tern	<i>Thalasseus bernsteini</i>	TO	SO	-	
C30	Stercorariidae					
264	South Polar Skua	<i>Stercorarius maccormicki</i>	V	-	-	
265	Pomarine Jaeger	<i>Stercorarius pomarinus</i>	PO	PO	-	
266	Parasitic Jaeger	<i>Stercorarius parasiticus</i>	PO	PO	-	
267	Long-tailed Jaeger	<i>Stercorarius longicaudus</i>	PO	PO	-	
C31	Alcidae					
268	Common Murre	<i>Uria aalge</i>	V	-	-	
269	Ancient Murrelet	<i>Synthliboramphus antiquus</i>	PO	PO	-	
270	Japanese Murrelet	<i>Synthliboramphus wumizusume</i>	PO	-	-	
C32	Columbidae					
271	Rock Pigeon	<i>Columba livia</i>	IC	-	-	
272	Ashy Wood-Pigeon	<i>Columba pulchricollis</i>	RU	-	-	
273	Japanese Wood-Pigeon	<i>Columba janthina</i>	V	-	-	
274	Oriental Turtle-Dove	<i>Streptopelia orientalis</i>	RC	RU / TU	WC	Endemic SSP. (<i>S. o. ori</i>)
275	Eurasian Collared-Dove	<i>Streptopelia decaocto</i>	IO	-	V	
276	Red Collared-Dove	<i>Streptopelia tranquebarica</i>	RC	RO	TO	
277	Spotted Dove	<i>Streptopelia chinensis</i>	RC	RC	RC	
278	Barred Cuckoo-Dove	<i>Macropygia unchall</i>	-	-	V	
279	Philippine Cuckoo-Dove	<i>Macropygia tenuirostris</i>	RU (Lanyu)	-	-	
280	Emerald Dove	<i>Chalcophaps indica</i>		-	TO	
281	Orange-breasted Pigeon	<i>Treron bicinctus</i>	V	-	-	
282	Thick-billed Pigeon	<i>Treron curvirostra</i>	-	V	-	
283	White-bellied Pigeon	<i>Treron sieboldii</i>	RU	TO	TO	
284	Whistling Green-Pigeon	<i>Treron formosae</i>	RO	-	-	Endemic SSP. (<i>T. f. formosae</i>)
285	Black-chinned Fruit-Dove	<i>Ptilinopus leclancheri</i>	RO	-	-	
C33	Cuculidae					
286	Chestnut-winged Cuckoo	<i>Clamator coromandus</i>	TO	TO	TO	
287	Large Hawk-Cuckoo	<i>Hierococcyx sparverioides</i>	SC	TO	SO	
288	Hodgson's Hawk-Cuckoo	<i>Hierococcyx nisicolor</i>	V	-	-	
289	Northern Hawk-Cuckoo	<i>Hierococcyx hyperythrus</i>	V	TO	-	
290	Indian Cuckoo	<i>Cuculus micropterus</i>	TO	TO	TU / SU	
291	Common Cuckoo	<i>Cuculus canorus</i>	TO	TO	-	
292	Himalayan Cuckoo	<i>Cuculus saturatus</i>	SC	TU	TO	
293	Lesser Cuckoo	<i>Cuculus poliocephalus</i>	TO	TO	TO	
294	Plaintive Cuckoo	<i>Cacomantis merulinus</i>	V	TO	-	
295	Asian Drongo-Cuckoo	<i>Surniculus lugubris</i>	V	TO	TO	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant.

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
296	Asian Koel	<i>Eudynamys scolopaceus</i>	TO	TO	SU	
297	Greater Coucal	<i>Centropus sinensis</i>	-	RU	RC	
298	Lesser Coucal	<i>Centropus bengalensis</i>	RC	-	RO	
C34	Tytonidae					
299	Australasian Grass-Owl	<i>Tyto longimembris</i>	RO	-	WO	Endemic SSP. (<i>T. l. pithecopus</i>)
C35	Strigidae					
300	Mountain Scops-Owl	<i>Otus spilocephalus</i>	RC	-	-	Endemic SSP. (<i>O. s. hamboeckii</i>)
301	Collared Scops-Owl	<i>Otus lettia</i>	RC	-	V	Endemic SSP. (<i>O. l. glabripes</i>)
302	Ryukyu Scops-Owl	<i>Otus elegans</i>	RC (Lanyu)	-	-	Endemic SSP. (<i>O. e. botelensis</i>)
303	Oriental Scops-Owl	<i>Otus sunia</i>		TU	TO	
304	Tawny Fish-Owl	<i>Ketupa flavipes</i>	RO	-	-	
305	Collared Owlet	<i>Glaucidium brodiei</i>	RU	-	-	Endemic SSP. (<i>G. b. pardalotum</i>)
306	Little Owl	<i>Athene noctua</i>	V	-	-	
307	Brown Wood-Owl	<i>Strix leptogrammica</i>	RO	-	-	
308	Tawny Owl	<i>Strix aluco</i>	RO	-	-	Endemic SSP. (<i>S. a. yamadae</i>)
309	Long-eared Owl	<i>Asio otus</i>	WO	-	WO	
310	Short-eared Owl	<i>Asio flammeus</i>	WU	-	WO	
311	Northern Boobook	<i>Ninox japonica</i>	RU / TU	TO	TO	
C36	Caprimulgidae					
312	Gray Nightjar	<i>Caprimulgus indicus</i>	TO	TO	TO	
313	Savanna Nightjar	<i>Caprimulgus affinis</i>	RC	TO	TO	Endemic SSP. (<i>C. a. stictomus</i>)
C37	Apodidae					
314	White-throated Needletail	<i>Hirundapus caudacutus</i>	TO	TO	TO	
315	Silver-backed Needletail	<i>Hirundapus cochinchinensis</i>	RO	-	-	Endemic SSP. (<i>H. c. formosanus</i>)
316	Himalayan Swiftlet	<i>Aerodramus brevirostris</i>	V	-	-	
317	Pacific Swift	<i>Apus pacificus</i>	RU / TU	SC	TO	
318	House Swift	<i>Apus nipalensis</i>		RU	RC	Endemic SSP. (<i>A. n. kuntzi</i>)
C38	Alcedinidae					
319	Common Kingfisher	<i>Alcedo atthis</i>	RC / TU	RC	RC	
320	Black-backed Kingfisher	<i>Ceyx erithaca</i>		V	-	
321	Ruddy Kingfisher	<i>Halcyon coromanda</i>	TO	TO	TO	
322	White-throated Kingfisher	<i>Halcyon smyrnensis</i>	TO	RU	RU	
323	Black-capped Kingfisher	<i>Halcyon pileata</i>	WO / TO	TO	WU	
324	Collared Kingfisher	<i>Todiramphus chloris</i>		V	-	
325	Pied Kingfisher	<i>Ceryle rudis</i>	-	TO	RU	
C39	Meropidae					
326	Blue-tailed Bee-eater	<i>Merops philippinus</i>	V	-	SC	
327	Rainbow Bee-eater	<i>Merops ornatus</i>	V	-	-	
C40	Coraciidae					
328	Dollarbird	<i>Eurystomus orientalis</i>	TO	TC	TO	
C41	Upupidae					
329	Eurasian Hoopoe	<i>Upupa epops</i>	WO / TO	TC	RC / TU	
C42	Megalaimitidae					
330	Taiwan Barbet	<i>Megalaima nuchalis</i>	RC	-	-	Endemic Species
C43	Picidae					
331	Eurasian Wryneck	<i>Jynx torquilla</i>	WO / TO	TO	WU	
332	Gray-capped Woodpecker	<i>Dendrocopos canicapillus</i>		RC	-	
333	White-backed Woodpecker	<i>Dendrocopos leucotos</i>	RU	-	-	Endemic SSP. (<i>D. l. insularis</i>)
334	Gray-faced Woodpecker	<i>Picus canus</i>	RO	-	-	
C44	Pittidae					
335	Hooded Pitta	<i>Pitta sordida</i>	V	-	-	
336	Fairy Pitta	<i>Pitta nympha</i>	SU	-	-	
337	Blue-winged Pitta	<i>Pitta moluccensis</i>	V	-	-	
C45	Campephagidae					
338	Large Cuckoo-shrike	<i>Coracina macei</i>	RO	V	-	
339	Black-winged Cuckoo-shrike	<i>Coracina melaschistos</i>	WO / TO	TU	TO	
340	Pied Triller	<i>Lalage nigra</i>		V	-	
341	Brown-rumped Minivet	<i>Pericrocotus cantonensis</i>	V	TO	-	
342	Ashy Minivet	<i>Pericrocotus divaricatus</i>	WO / TO	TC	TU	
343	Ryukyu Minivet	<i>Pericrocotus tegimae</i>		V	-	
344	Long-tailed Minivet	<i>Pericrocotus ethologus</i>	V	-	-	
345	Gray-chinned Minivet	<i>Pericrocotus solaris</i>	RC	-	-	
C46	Laniidae					
346	Tiger Shrike	<i>Lanius tigrinus</i>	TO	-	-	
347	Bull-headed Shrike	<i>Lanius bucephalus</i>	WO	TO	TO	
348	Red-backed Shrike	<i>Lanius collurio</i>	V	-	-	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant.

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
349	Brown Shrike	<i>Lanius cristatus</i>	WC / TC	TC	TC	
350	Long-tailed Shrike	<i>Lanius schach</i>	RC	TU / RO	RC	
351	Chinese Gray Shrike	<i>Lanius sphenocercus</i>	V	V	TO	
C47	Vireonidae					
352	White-bellied Erpornis	<i>Erpornis zantholeuca</i>	RC	-	-	
C48	Oriolidae					
353	Black-naped Oriole	<i>Oriolus chinensis</i>	RO / TO	TU	TO	
354	Maroon Oriole	<i>Oriolus traillii</i>	RU	-	-	Endemic SSP. (<i>O. t. ardens</i>)
C49	Dicruridae					
355	Black Drongo	<i>Dicrurus macrocercus</i>	RC / TO	SU	SU	Endemic SSP. (<i>D. m. harterti</i>)
356	Ashy Drongo	<i>Dicrurus leucophaeus</i>	WO / TO	TC	TO	
357	Bronzed Drongo	<i>Dicrurus aeneus</i>	RC	-	-	Endemic SSP. (<i>D. a. braunianus</i>)
358	Hair-crested Drongo	<i>Dicrurus hottentottus</i>	TO	TU	TO	
C50	Monarchidae					
359	Black-naped Monarch	<i>Hypothymis azurea</i>	RC	V	V	Endemic SSP. (<i>H. a. oberholseri</i>)
360	Japanese Paradise-Flycatcher	<i>Terpsiphone atrocaudata</i>	TO; SC / RO (Lanyu)	TO	TO	
361	Asian Paradise-Flycatcher	<i>Terpsiphone paradisi</i>	TO	TO	TO	
C51	Corvidae					
362	Eurasian Jay	<i>Garrulus glandarius</i>	RC	-	-	Endemic SSP. (<i>G. g. taivanus</i>)
363	Azure-winged Magpie	<i>Cyanopica cyana</i>	IO	-	-	
364	Formosan Magpie	<i>Urocissa caerulea</i>	RC	-	-	Endemic Species
365	Gray Treepie	<i>Dendrocitta formosae</i>	RC	-	V	Endemic SSP. (<i>D. f. formosae</i>)
366	Eurasian Magpie	<i>Pica pica</i>	RC	TO	RC	
367	Eurasian Nutcracker	<i>Nucifraga caryocatactes</i>	RC	-	-	Endemic SSP. (<i>N. c. owstoni</i>)
368	Daurian Jackdaw	<i>Corvus dauuricus</i>	V	-	WO	
369	House Crow	<i>Corvus splendens</i>	V	-	-	
370	Rook	<i>Corvus frugilegus</i>	WO	TO	-	
371	Carrion Crow	<i>Corvus corone</i>	TO	TO	WO	
372	Large-billed Crow	<i>Corvus macrorhynchos</i>	RC	V	V	
373	Collared Crow	<i>Corvus torquatus</i>	V	-	RU	
C52	Alaudidae					
374	Greater Short-toed Lark	<i>Calandrella brachydactyla</i>	V	-	-	
375	Lesser Short-toed Lark	<i>Calandrella rufescens</i>	V	-	-	
376	Sky Lark	<i>Alauda arvensis</i>	TO	TO	TO	
377	Oriental Skylark	<i>Alauda gulgula</i>	RC	RO	RU	
C53	Hirundinidae					
378	Plain Martin	<i>Riparia paludicola</i>	RC	V	V	
379	Bank Swallow	<i>Riparia riparia</i>	TO	TU	TO	
380	Barn Swallow	<i>Hirundo rustica</i>	SC / WC / TC	SC	SC	
381	Pacific Swallow	<i>Hirundo tahitica</i>	RC	TU	TU	
382	Red-rumped Swallow	<i>Cecropis daurica</i>	TO	SO	TO	
383	Striated Swallow	<i>Cecropis striolata</i>	RC	-	-	
384	Asian House-Martin	<i>Delichon dasypus</i>	RU	-	-	
C54	Stenostiridae					
385	Gray-headed Canary-Flycatcher	<i>Culicicapa ceylonensis</i>	V	V	-	
C55	Paridae					
386	Coal Tit	<i>Periparus ater</i>	RC	-	-	Endemic SSP. (<i>P. a. ptilosus</i>)
387	Great Tit	<i>Parus major</i>	V	RO	-	
388	Green-backed Tit	<i>Parus monticolus</i>	RC	-	-	Endemic SSP. (<i>P. m. insperatus</i>)
389	Yellow Tit	<i>Macholophus holsti</i>	RO	-	-	Endemic Genus
390	Varied Tit	<i>Sittiparus varius</i>	RU	-	-	Endemic SSP. (<i>S. v. castaneoventris</i>)
C56	Remizidae					
391	Chinese Penduline-Tit	<i>Remiz consobrinus</i>	V	-	TO	
C57	Aegithalidae					
392	Black-throated Tit	<i>Aegithalos concinnus</i>	RC	RU	-	
C58	Sittidae					
393	Eurasian Nuthatch	<i>Sitta europaea</i>	RC	-	-	
C59	Troglodytidae					
394	Eurasian Wren	<i>Troglodytes troglodytes</i>	RC	-	-	Endemic SSP. (<i>T. t. taivanus</i>)
C60	Cinclidae					
395	Brown Dipper	<i>Cinclus pallasi</i>	RU	-	-	
C61	Pycnonotidae					
396	Collared Finchbill	<i>Spizixos semitorques</i>	RC	-	-	Endemic SSP. (<i>S. s. cinereicapillus</i>)
397	Styan's Bulbul	<i>Pycnonotus taivanus</i>	RC	-	-	Endemic Species
398	Light-vented Bulbul	<i>Pycnonotus sinensis</i>	RC	RC	RC	Endemic SSP. (<i>P. s. formosae</i>)

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant.

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
399	Black Bulbul	<i>Hypsipetes leucocephalus</i>	RC	V	V	Endemic SSP. (<i>H. l. nigerrimus</i>)
400	Brown-eared Bulbul	<i>Hypsipetes amaurotis</i>	TO / RC (Lanyu)	V	-	Endemic SSP. (<i>I. a. harterti</i>)
401	Chestnut Bulbul	<i>Hemixos castanonotus</i>	-	-	V	
C62	Regulidae					
402	Goldcrest	<i>Regulus regulus</i>	WO / TO RC	TO	TO	
403	Flamecrest	<i>Regulus goodfellowi</i>	-	-	-	Endemic Species
C63	Pnoepygidae					
404	Taiwan Cupwing	<i>Pnoepyga formosana</i>	RC	-	-	Endemic Species
C64	Cettiidae					
405	Asian Stubtail	<i>Urosphena squameiceps</i>	WO / TO	TO	WO	
406	Rufous-faced Warbler	<i>Abroscopus albogularis</i>	RC	V	-	
407	Manchurian Bush-Warbler	<i>Cettia canturians</i>	WU	WU	WO	
408	Japanese Bush-Warbler	<i>Cettia diphone</i>	WO	-	-	
409	Brownish-flanked Bush-Warbler	<i>Cettia fortipes</i>	RC / TO	RC	V	Endemic SSP. (<i>C. f. robustipes</i>)
410	Yellowish-bellied Bush-Warbler	<i>Cettia acanthizoides</i>	RC	-	-	Endemic SSP. (<i>C. a. concolor</i>)
C65	Phylloscopidae					
411	Willow Warbler	<i>Phylloscopus trochilus</i>	V	-	-	
412	Common Chiffchaff	<i>Phylloscopus collybita</i>	V	-	-	
413	Wood Warbler	<i>Phylloscopus sibilatrix</i>	V	-	-	
414	Dusky Warbler	<i>Phylloscopus fuscatus</i>	WO / TO	TU	WU	
415	Radde's Warbler	<i>Phylloscopus schwarzi</i>	TO	TO	-	
416	Pallas's Leaf-Warbler	<i>Phylloscopus proregulus</i>	TU	TU	TO	
417	Yellow-browed Warbler	<i>Phylloscopus inornatus</i>	WU	WU	WU	
418	Arctic Warbler	<i>Phylloscopus borealis</i>	WC	WC	WU	
419	Greenish Warbler	<i>Phylloscopus trochiloides</i>	V	-	V	
420	Pale-legged Leaf-Warbler	<i>Phylloscopus tenellipes</i>	TO	TO	TO	
421	Sakhalin Leaf-Warbler	<i>Phylloscopus borealoides</i>	TO	TO	TO	
422	Eastern Crowned Leaf-Warbler	<i>Phylloscopus coronatus</i>	TO	TO	TO	
423	Ijima's Leaf-Warbler	<i>Phylloscopus ijimae</i>	TO	-	-	
424	Claudia's Leaf-Warbler	<i>Phylloscopus claudiae</i>	V	-	-	
425	Hartert's Leaf-Warbler	<i>Phylloscopus goodsoni</i>	V	-	-	
426	Sulphur-breasted Warbler	<i>Phylloscopus ricketti</i>	V	V	-	
427	Bianchi's Warbler	<i>Seicercus valentini</i>	V	-	-	
C66	Acrocephalidae					
428	Booted Warbler	<i>Hippolais caligata</i>	V	-	-	
429	Streaked Reed-Warbler	<i>Acrocephalus sorghophilus</i>	V	-	-	
430	Black-browed Reed-Warbler	<i>Acrocephalus bistrigiceps</i>	WO / TO	TO	TO	
431	Manchurian Reed-Warbler	<i>Acrocephalus tangorum</i>	V	-	-	
432	Paddyfield Warbler	<i>Acrocephalus agricola</i>	V	-	-	
433	Blyth's Reed-Warbler	<i>Acrocephalus dumetorum</i>	V	-	-	
434	Oriental Reed-Warbler	<i>Acrocephalus orientalis</i>	WC	WC	WU	
C67	Megaluridae					
435	Taiwan Bush-Warbler	<i>Bradypterus alishanensis</i>	RC	-	-	Endemic Species
436	Lanceolated Warbler	<i>Locustella lanceolata</i>	TU	TO	TO	
437	Pallas's Grasshopper-Warbler	<i>Locustella certhiola</i>	TO	TO	-	
438	Middendorff's Grasshopper-Warbler	<i>Locustella ochotensis</i>	WO / TU	TO	-	
439	Pleske's Warbler	<i>Locustella pleskei</i>	TO	-	-	
440	Gray's Warbler	<i>Locustella fasciolata</i>	TO	-	-	
441	Sakhalin Warbler	<i>Locustella amnicola</i>	TO	-	-	
C68	Cisticolidae					
442	Zitting Cisticola	<i>Cisticola juncidis</i>	RC / TO	TU	TU	
443	Golden-headed Cisticola	<i>Cisticola exilis</i>	RU	-	-	Endemic SSP. (<i>C. e. volitans</i>)
444	Striated Prinia	<i>Prinia crinigera</i>	RC	-	-	Endemic SSP. (<i>P. c. striata</i>)
445	Yellow-bellied Prinia	<i>Prinia flaviventris</i>	RC	RO	RC	
446	Plain Prinia	<i>Prinia inornata</i>	RC	RO	RC	Endemic SSP. (<i>P. i. flavirostris</i>)
C69	Sylviidae					
447	Asian Desert Warbler	<i>Sylvia nana</i>	V	-	-	
448	Lesser Whitethroat	<i>Sylvia curruca</i>	V	-	-	
449	Taiwan Fulveta	<i>Fulvetta formosana</i>	RC	-	-	Endemic Species
450	Vinous-throated Parrotbill	<i>Paradoxornis webbianus</i>	RC	-	-	Endemic SSP. (<i>P. w. bulomachus</i>)
451	Golden Parrotbill	<i>Paradoxornis verreauxi</i>	RO	-	-	Endemic SSP. (<i>P. v. morrisonianus</i>)
C70	Zosteropidae					
452	Taiwan Yuhina	<i>Yuhina brunneiceps</i>	RC	-	-	Endemic Species
453	Chestnut-flanked White-eye	<i>Zosterops erythropleurus</i>	V	-	-	
454	Japanese White-eye	<i>Zosterops japonicus</i>	RC	RC	RC	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant.

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
455	Lowland White-eye	<i>Zosterops meyeri</i>	RC (Lanyu or	-	-	
C71	Pellorneidae					
456	Gray-cheeked Fulvettia	<i>Alcippe morrisonia</i>	RC	-	-	Endemic SSP. (<i>A. m. morrisonia</i>)
457	Dusky Fulvettia	<i>Schoeniparus brunneus</i>	RC	-	-	Endemic SSP. (<i>S. b. brunnea</i>)
C72	Leiothrichidae					
458	Rufous-crowned Laughingthrush	<i>Garrulax ruficeps</i>	RO	-	-	Endemic Species
459	Rusty Laughingthrush	<i>Garrulax poecilorhynchus</i>	RU	-	-	Endemic Species
460	Hwamei	<i>Garrulax canorus</i>	IU	V	RO	
461	Taiwan Hwamei	<i>Garrulax taewanus</i>	RU	-	-	Endemic Species
462	White-whiskered Laughingthrush	<i>Garrulax morrisonianus</i>	RC	-	-	Endemic Species
463	White-eared Sibia	<i>Heterophasia auricularis</i>	RC	-	-	Endemic Species
464	Steere's Liocichla	<i>Liocichla steerii</i>	RC	-	-	Endemic Species
465	Taiwan Barwing	<i>Actinodura morrisoniana</i>	RC	-	-	Endemic Species
C73	Timaliidae					
466	Rufous-capped Babbler	<i>Stachyridopsis ruficeps</i>	RC	-	-	Endemic SSP. (<i>S. r. praecognita</i>)
467	Black-necked Scimitar-Babbler	<i>Pomatorhinus erythrocnemis</i>	RC	-	-	Endemic Species
468	Taiwan Scimitar-Babbler	<i>Pomatorhinus musicus</i>	RC	-	-	Endemic Species
C74	Muscicapidae					
469	Spotted Flycatcher	<i>Muscicapa striata</i>	V	-	-	
470	Dark-sided Flycatcher	<i>Muscicapa sibirica</i>	TO	TO	TO	
471	Gray-streaked Flycatcher	<i>Muscicapa griseisticta</i>	TU	TC	TO	
472	Asian Brown Flycatcher	<i>Muscicapa dauurica</i>	TU / WO	TC	TU	
473	Brown-breasted Flycatcher	<i>Muscicapa muttui</i>	V	-	-	
474	Ferruginous Flycatcher	<i>Muscicapa ferruginea</i>	SU	TO	V	
475	Oriental Magpie-Robin	<i>Copsychus saularis</i>	IO	RU	RC	
476	Brown-chested Jungle-Flycatcher	<i>Cyornis brunneatus</i>	V	-	-	
477	Fujian Niltava	<i>Niltava davidi</i>	V	-	-	
478	Vivid Niltava	<i>Niltava vivida</i>	RU	-	-	Endemic SSP. (<i>N. v. vivida</i>)
479	Blue-and-white Flycatcher	<i>Cyanoptila cyanomelana</i>	TO	TO	TO	
480	Verditer Flycatcher	<i>Eumyiias thalassinus</i>	WO	TO	TO	
481	White-browed Shortwing	<i>Brachypteryx montana</i>	RC	-	-	Endemic SSP. (<i>B. m. goodfellowi</i>)
482	Rufous-tailed Robin	<i>Larvivora sibilans</i>	TO	TO	-	
483	Japanese Robin	<i>Larvivora akahige</i>	WO	V	-	
484	Ryukyu Robin	<i>Larvivora komadori</i>	V	-	-	
485	Siberian Blue Robin	<i>Larvivora cyane</i>	TO	TO	-	
486	Bluethroat	<i>Luscinia svecica</i>	WO	TO	-	
487	Formosan Whistling-Thrush	<i>Myophonus insularis</i>	RC	-	-	Endemic Species
488	Blue Whistling-Thrush	<i>Myophonus caeruleus</i>	-	RC	TO	
489	Little Forktail	<i>Enicurus scouleri</i>	RO	-	-	Endemic SSP. (<i>E. s. fortis</i>)
490	Siberian Rubythroat	<i>Calliope calliope</i>	WU / TC	TU	WO	
491	White-tailed Robin	<i>Cinclidium leucurum</i>	RU	-	-	Endemic SSP. (<i>C. l. montium</i>)
492	Red-flanked Bluetail	<i>Tarsiger cyanurus</i>	WU	WU	WU	
493	White-browed Bush-Robin	<i>Tarsiger indicus</i>	RO	-	-	Endemic SSP. (<i>T. i. formosanus</i>)
494	Collared Bush-Robin	<i>Tarsiger johnstoniae</i>	RC	-	-	Endemic Species
495	Taiga Flycatcher	<i>Ficedula albicilla</i>	WO / TO	TO	TO	
496	Korean Flycatcher	<i>Ficedula zanthopygia</i>	TO	TO	TO	
497	Narcissus Flycatcher	<i>Ficedula narcissina</i>	TO	TO	TO	
498	Mugimaki Flycatcher	<i>Ficedula mugimaki</i>	WO / TO	TO	TO	
499	Slaty-backed Flycatcher	<i>Ficedula hodgsonii</i>	V	-	-	
500	Snowy-browed Flycatcher	<i>Ficedula hyperythra</i>	RC	-	-	Endemic SSP. (<i>F. h. innexa</i>)
501	Red-breasted Flycatcher	<i>Ficedula parva</i>	WO	TO	TO	
502	Plumbeous Redstart	<i>Phoenicurus fuliginosus</i>	RC	TO	TO	Endemic SSP. (<i>R. f. affinis</i>)
503	White-capped Redstart	<i>Phoenicurus leucocephalus</i>	-	V	-	
504	Black Redstart	<i>Phoenicurus ochruros</i>	V	V	-	
505	Daurian Redstart	<i>Phoenicurus auroreus</i>	WU	WU	WU	
506	White-throated Rock-Thrush	<i>Monticola gularis</i>	V	TO	-	
507	Blue Rock-Thrush	<i>Monticola solitarius</i>	RO / WC	WC	WU	
508	Stonechat	<i>Saxicola torquatus</i>	WU / TU	WU / TU	WU	
509	Gray Bushchat	<i>Saxicola ferreus</i>	TO	TU	TO	
510	Northern Wheatear	<i>Oenanthe oenanthe</i>	V	-	-	
511	Pied Wheatear	<i>Oenanthe pleschanka</i>	-	V	-	
512	Desert Wheatear	<i>Oenanthe deserti</i>	V	V	-	
513	Isabelline Wheatear	<i>Oenanthe isabellina</i>	V	-	-	
C75	Turdidae					
514	Orange-headed Thrush	<i>Zoothera citrina</i>	V	-	-	
515	Siberian Thrush	<i>Zoothera sibirica</i>	TO	TO	TO	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant.

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
516	Scaly Thrush	<i>Zoothera dauma</i>	WC	WU	WU	
517	Gray-backed Thrush	<i>Turdus hortulorum</i>	TO	TO	WO	
518	Japanese Thrush	<i>Turdus cardis</i>	TO	TO	WU	
519	Eurasian Blackbird	<i>Turdus merula</i>	WO	WU	RU	
520	Island Thrush	<i>Turdus poliocephalus</i>	RO	-	-	Endemic SSP. (<i>T. p. niveiceps</i>)
521	Eyebrowed Thrush	<i>Turdus obscurus</i>	WU	TU	WU	
522	Pale Thrush	<i>Turdus pallidus</i>	WC	TU	WU	
523	Brown-headed Thrush	<i>Turdus chrysolaus</i>	WC	TU	WU	
524	Red-throated Thrush	<i>Turdus ruficollis</i>	V	V	V	
525	Dusky Thrush	<i>Turdus eunomus</i>	WU	TU	WU	
526	Naumann's Thrush	<i>Turdus naumanni</i>	WU	TU	WU	
527	Chinese Thrush	<i>Turdus mupinensis</i>	V	-	-	
C76	Sturnidae					
528	Asian Glossy Starling	<i>Aplonis panayensis</i>	IU	-	-	
529	Crested Myna	<i>Acridotheres cristatellus</i>	RU	RU	RC	Endemic SSP. (<i>A. c. formosanus</i>)
530	Javan Myna	<i>Acridotheres javanicus</i>	IC	-	IO	
531	Jungle Myna	<i>Acridotheres fuscus</i>	IU	IO	-	
532	Common Myna	<i>Acridotheres tristis</i>	IC	IO	IO	
533	Black-collared Starling	<i>Gracupica nigricollis</i>	IO	-	RU	
534	Daurian Starling	<i>Sturnia sturnina</i>	TO	TO	-	
535	Chestnut-cheeked Starling	<i>Sturnia philippensis</i>	TO	TO	TO	
536	White-shouldered Starling	<i>Sturnia sinensis</i>	WU	TU	TU	
537	Chestnut-tailed Starling	<i>Sturnia malabarica</i>	IO	-	-	
538	Rosy Starling	<i>Pastor roseus</i>	V	-	V	
539	Red-billed Starling	<i>Sturnus sericeus</i>	WU	TU	WU	
540	European Starling	<i>Sturnus vulgaris</i>	TO / WO	TO	TO	
541	White-cheeked Starling	<i>Sturnus cineraceus</i>	WU	TU	WU	
C77	Dicaeidae					
542	Plain Flowerpecker	<i>Dicaeum minullum</i>	RU	-	-	Endemic SSP. (<i>D. m. uchida</i>)
543	Fire-breasted Flowerpecker	<i>Dicaeum ignipectum</i>	RC	-	-	Endemic SSP. (<i>D. i. formosum</i>)
C78	Nectariniidae					
544	Fork-tailed Sunbird	<i>Aethopyga christinae</i>	-	TO	RO	
C79	Prunellidae					
545	Alpine Accentor	<i>Prunella collaris</i>	RC	-	-	Endemic SSP. (<i>P. c. fennelli</i>)
546	Siberian Accentor	<i>Prunella montanella</i>	V	-	-	
C80	Motacillidae					
547	Western Yellow Wagtail	<i>Motacilla flava</i>	WC / TC	TC	TC	
548	Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	WU / TU	WU / TU	WU / TU	
549	Citrine Wagtail	<i>Motacilla citreola</i>	TO	TO	TO	
550	Gray Wagtail	<i>Motacilla cinerea</i>	WC	TC	TU	
551	White Wagtail	<i>Motacilla alba</i>	RC / WC	RC / WC	RC / WC	
552	Japanese Wagtail	<i>Motacilla grandis</i>	V	-	-	
553	Richard's Pipit	<i>Anthus richardi</i>	WU	WU	WC	
554	Blyth's Pipit	<i>Anthus godlewskii</i>	V	V	V	
555	Olive-backed Pipit	<i>Anthus hodgsoni</i>	WC	WC / TU	WC / TU	
556	Pechora Pipit	<i>Anthus gustavi</i>	TO	TU	TO	
557	Red-throated Pipit	<i>Anthus cervinus</i>	WU	WU	WU	
558	Water Pipit	<i>Anthus spinoletta</i>	V	TO	TO	
559	American Pipit	<i>Anthus rubescens</i>	WO	TO	TO	
560	Forest Wagtail	<i>Dendronanthus indicus</i>	WO	TO	TO	
C81	Bombycillidae					
561	Bohemian Waxwing	<i>Bombycilla garrulus</i>	V	TO	-	
562	Japanese Waxwing	<i>Bombycilla japonica</i>	V	TO	-	
C82	Calciariidae					
563	Lapland Longspur	<i>Calcarius lapponicus</i>	V	-	-	
564	Snow Bunting	<i>Plectrophenax nivalis</i>	V	-	-	
C83	Emberizidae					
565	Crested Bunting	<i>Melophus lathami</i>	V	TO	TO	
566	Pine Bunting	<i>Emberiza leucocephalos</i>	V	-	-	
567	Meadow Bunting	<i>Emberiza cioides</i>	V	V	-	
568	Tristram's Bunting	<i>Emberiza tristrami</i>	TO	TU	TO	
569	Chestnut-eared Bunting	<i>Emberiza fucata</i>	TO	TO	TO	
570	Yellow-browed Bunting	<i>Emberiza chrysophrys</i>	TO	WU	TO	
571	Little Bunting	<i>Emberiza pusilla</i>	WO / TU	RU / TU	TU	
572	Rustic Bunting	<i>Emberiza rustica</i>	TO	TO	TO	
573	Yellow-throated Bunting	<i>Emberiza elegans</i>	WO	TU	TO	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant.

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
574	Yellow-breasted Bunting	<i>Emberiza aureola</i>	TO	TC	TO	
575	Chestnut Bunting	<i>Emberiza rutila</i>	TU	TC	TO	
576	Black-headed Bunting	<i>Emberiza melanocephala</i>	TO	TO	-	
577	Red-headed Bunting	<i>Emberiza bruniceps</i>	V	-	-	
578	Yellow Bunting	<i>Emberiza sulphurata</i>	TO	TC	TO	
579	Black-faced Bunting	<i>Emberiza spodocephala</i>	WC	WC	WC	
580	Gray Bunting	<i>Emberiza variabilis</i>	V	V	-	
581	Pallas's Bunting	<i>Emberiza pallasi</i>	WO	TO	TO	
582	Reed Bunting	<i>Emberiza schoeniclus</i>	V	-	-	
C84	Fringillidae					
583	Brambling	<i>Fringilla montifringilla</i>	WO	TO	TO	
584	Common Rosefinch	<i>Carpodacus erythrinus</i>	WO	V	-	
585	Taiwan Rosefinch	<i>Carpodacus formosanus</i>	RC	-	-	Endemic Species
586	Oriental Greenfinch	<i>Chloris sinica</i>	WO	RU	RU	
587	Common Redpoll	<i>Acanthis flammea</i>	V	-	-	
588	Eurasian Siskin	<i>Spinus spinus</i>	WO	TU	TU	
589	Brown Bullfinch	<i>Pyrrhula nipalensis</i>	RU	-	-	Endemic SSP. (<i>P. n. uchidae</i>)
590	Gray-headed Bullfinch	<i>Pyrrhula erythaca</i>	RU	-	-	Endemic SSP. (<i>P. e. owstoni</i>)
591	Hawfinch	<i>Coccothraustes coccothraustes</i>	WO	TO	TO	
592	Yellow-billed Grosbeak	<i>Eophona migratoria</i>	WO	RU	TO	
593	Japanese Grosbeak	<i>Eophona personata</i>	WO	TO	TO	
C85	Passeridae					
594	House Sparrow	<i>Passer domesticus</i>	V	-	-	
595	Russet Sparrow	<i>Passer rutilans</i>	RO	-	-	
596	Eurasian Tree Sparrow	<i>Passer montanus</i>	RC	RC	RC	
C86	Estrildidae					
597	Orange-cheeked Waxbill	<i>Estrilda melpoda</i>	IU	-	-	
598	Indian Silverbill	<i>Euodice malabarica</i>	IU	-	-	
599	White-rumped Munia	<i>Lonchura striata</i>	RC	V	-	
600	Nutmeg Mannikin	<i>Lonchura punctulata</i>	RC	RU	RC	
601	Chestnut Munia	<i>Lonchura atricapilla</i>	RO	-	V	

STATUS

R: Resident, **W:** Winter Visitor, **S:** Summer Visitor, **T:** Transient Migrant, **P:** Pelagic Seabird, **V:** Vagrant.

ABUNDANCE

C: Common (70%-100% chance), **U:** Uncommon (30%-70% chance), **O:** Occasional (<30% chance).