

# The 2013 CWBF Checklist of the Birds of Taiwan

Tzung-Su DING, Ching-Sung JUAN, Ruey-Shing LIN, Chih-Yuan, PAN, Yi-Jung TSAI, John WU, and Yu-Hsiang YANG

Bird Record Committee, Chinese Wild Bird Federation  
No.3, Ln. 36, Jinglong St., Wenshan Dist., Taipei City 116, TAIWAN  
E-mail: [mail@bird.org.tw](mailto:mail@bird.org.tw)

This checklist of the birds of Taiwan is prepared by Bird Record Committee, an official committee of Chinese Wild Bird Federation. The committee updates the checklist annually to assure it is the most complete and accurate checklist for the birds found in Taiwan. The current version was released on June 1, 2013. The geographical area of this checklist covers the land and sea under the jurisdiction of the government of the Republic of China (widely known as ‘Taiwan’), including Taiwan Island and its adjacent islands (Penghu, Lanyu, and Ludao), and two groups of outlying islands near mainland China: Matsu islands and Kinmen islands. Based on the geographical location and avifauna similarity, we divide the geographical area of this checklist into three regions: Taiwan (including adjacent islands), Matsu, and Kinmen. The taxonomy and English names for birds in this checklist follow the Clements Checklist of Birds of the World Version 6.7 (Clements et al. 2012), which was released online on September 28, 2012. The only exception that does not follow the Clements 6.7 checklist is Taiwan Rosefinch (*Carpodacus formosanus*), which we accept it as an endemic species of Taiwan, as suggested by Wu et al. (2011). In total, the checklist includes 608 bird species (including 10 naturalized species) and recognizes 24 endemic species and 59 endemic subspecies of Taiwan.

This checklist categorizes the birds of Taiwan into six statuses: **Resident** (remain year-round in a specific region), **Winter Visitor** (spend only the winter in a specific region), **Summer Visitor** (spend only the summer in a specific region), **Transient Migrant** (only stop for a short period of time during their annual migration), **Pelagic Seabird** (mostly stay on open sea and rarely visit land), **Vagrant** (recorded outside of its normal distribution range), and **Introduced** (introduced by human deliberately or accidentally). A given species might have multiple statuses within a specific region. With our best knowledge on the distribution and abundance of birds in Taiwan, we assign the species to four categories: **Common** (have a >70% chance to record the species during a day-trip in appropriate habitat and time), **Uncommon** (have a 30%-70% chance to record the species during a day-trip in appropriate habitat and time), **Occasional** (have a <30% chance to record the species during a day-trip in appropriate habitat and time), and **Vagrant** (with very limited records).

Comments and suggestions on this checklist are welcome and should be sent to Chinese Wild Bird Federation.

**Suggested Citation:** Ding, T.-S., C.-S. Juan, R.-S. Lin, C.-Y. Pan, Y.-J. Tsai, J. Wu and Y.-H. Yang. 2013. The 2013 CWBF Checklist of the Birds of Taiwan. Chinese Wild Bird Federation. Taipei, Taiwan.

## Literature cited

Clements, J.F., T.S. Schulenberg, M.J. Iliff, B.L. Sullivan, C.L. Wood, and D. Roberson. 2012. The eBird/Clements checklist of birds of the world: Version 6.7. Downloaded from <http://www.birds.cornell.edu/clementschecklist/Clements%206.7.xls>

Wu, H.-C., R.-C. Lin, H.-Y. Hung, C.-F. Yeh, J.-H. Chu, X.-J. Yang, C.-J. Yao, F.-S. Zou, C.-T. Yao, S.-H. Li, and F.-M. Lei. 2011. Molecular and morphological evidences reveal a cryptic species in the Vinaceous Rosefinch *Carpodacus vinaceus* (Fringillidae; Aves). *Zoologica Scripta* 40:468–478.

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
<b>C01</b>	<b>Anatidae</b>					
1	Lesser Whistling-Duck	<i>Dendrocygna javanica</i>	V	-	-	
2	Swan Goose	<i>Anser cygnoides</i>	WO	-	WO	
3	Taiga Bean-Goose	<i>Anser fabalis</i>	WO	TO	WO	
4	Tundra Bean-Goose	<i>Anser serrirostris</i>	WO	TO	WO	
5	Greater White-fronted Goose	<i>Anser albifrons</i>	WO	WO	-	
6	Lesser White-fronted Goose	<i>Anser erythropus</i>	TO	-	-	
7	Graylag Goose	<i>Anser anser</i>	V	-	-	
8	Brant	<i>Branta bernicla</i>	V	-	-	
9	Cackling Goose	<i>Branta hutchinsii</i>	V	-	-	
10	Mute Swan	<i>Cygnus olor</i>	V	-	-	
11	Tundra Swan	<i>Cygnus columbianus</i>	V	-	V	
12	Whooper Swan	<i>Cygnus cygnus</i>	V	-	V	
13	Ruddy Shelduck	<i>Tadorna ferruginea</i>	WO	-	WO	
14	Common Shelduck	<i>Tadorna tadorna</i>	WO	-	WO	
15	Cotton Pygmy-Goose	<i>Nettapus coromandelianus</i>	V	-	-	
16	Mandarin Duck	<i>Aix galericulata</i>	RU / TO	TO	TO	
17	Gadwall	<i>Anas strepera</i>	WU	WO	WO	
18	Falcated Duck	<i>Anas falcata</i>	WO	WO	WU	
19	Eurasian Wigeon	<i>Anas penelope</i>	WC	TU	WC	
20	American Wigeon	<i>Anas americana</i>	WO	-	WO	
21	Mallard	<i>Anas platyrhynchos</i>	WU / IO	TU	WU	
22	Eastern Spot-billed Duck	<i>Anas zonorhyncha</i>	RU / WU	TO	RC	
23	Philippine Duck	<i>Anas luzonica</i>	V	-	-	
24	Northern Shoveler	<i>Anas clypeata</i>	WC	TO	WU	
25	Northern Pintail	<i>Anas acuta</i>	WC	TO	WC	
26	Garganey	<i>Anas querquedula</i>	WO / TC	TO	WU	
27	Baikal Teal	<i>Anas formosa</i>	WO	TO	WO	
28	Green-winged Teal	<i>Anas crecca</i>	WC	TU	WC	
29	Red-crested Pochard	<i>Netta rufina</i>	V	-	-	
30	Canvasback	<i>Aythya valisineria</i>	V	-	-	
31	Common Pochard	<i>Aythya ferina</i>	WO	-	WO	
32	Baer's Pochard	<i>Aythya baeri</i>	WO	-	V	
33	Ferruginous Duck	<i>Aythya nyroca</i>	V	-	-	
34	Tufted Duck	<i>Aythya fuligula</i>	WC	TO	WO	
35	Greater Scaup	<i>Aythya marila</i>	WO	-	WO	
36	Common Goldeneye	<i>Bucephala clangula</i>	TO	-	V	
37	Smew	<i>Mergus albellus</i>	TO	-	-	
38	Common Merganser	<i>Mergus merganser</i>	V	-	-	
39	Red-breasted Merganser	<i>Mergus serrator</i>	WO	WO	V	
40	Scaly-sided Merganser	<i>Mergus squamatus</i>	WO	-	-	
<b>C02</b>	<b>Phasianidae</b>					
41	Japanese Quail	<i>Coturnix japonica</i>	TO	TO	TO	
42	Blue-breasted Quail	<i>Coturnix chinensis</i>	RO	-	-	
43	Taiwan Partridge	<i>Arborophila crudigularis</i>	RU	-	-	Endemic Species
44	Chinese Bamboo-Partridge	<i>Bambusicola thoracicus</i>	RC	-	-	Endemic SSP. ( <i>B. t. sonorivox</i> )
45	Swinhoe's Pheasant	<i>Lophura swinhoii</i>	RU	-	-	Endemic Species
46	Mikado Pheasant	<i>Syrmaticus mikado</i>	RO	-	-	Endemic Species
47	Ring-necked Pheasant	<i>Phasianus colchicus</i>	RU	-	IC	Endemic SSP. ( <i>P. c. formosanus</i> )
<b>C03</b>	<b>Gaviidae</b>					
48	Red-throated Loon	<i>Gavia stellata</i>	V	WO	WO	
49	Arctic Loon	<i>Gavia arctica</i>	V	-	V	
50	Pacific Loon	<i>Gavia pacifica</i>	V	-	-	
51	Yellow-billed Loon	<i>Gavia adamsii</i>	-	V	-	
<b>C04</b>	<b>Podicipedidae</b>					
52	Little Grebe	<i>Tachybaptus ruficollis</i>	RC / WC	WO / TU	RC	
53	Horned Grebe	<i>Podiceps auritus</i>	WO	TO	WO	
54	Red-necked Grebe	<i>Podiceps grisegena</i>	-	V	-	
55	Great Crested Grebe	<i>Podiceps cristatus</i>	WO	TO	WC	
56	Eared Grebe	<i>Podiceps nigricollis</i>	WO	TO	WO	
<b>C05</b>	<b>Diomedeidae</b>					
57	Laysan Albatross	<i>Phoebastria immutabilis</i>	PV	-	-	
58	Black-footed Albatross	<i>Phoebastria nigripes</i>	PO	-	PO	
59	Short-tailed Albatross	<i>Phoebastria albatrus</i>	PO	-	PO	

#### STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species.

#### ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
<b>C06</b>	<b>Procellariidae</b>					
60	Bonin Petrel	<i>Pterodroma hypoleuca</i>	PO	-	-	
61	Bulwer's Petrel	<i>Bulweria bulwerii</i>	PC	SU	-	
62	Tahiti Petrel	<i>Pseudobulweria rostrata</i>	PV	-	-	
63	Streaked Shearwater	<i>Calonectris leucomelas</i>	PC	PU	-	
64	Flesh-footed Shearwater	<i>Puffinus carneipes</i>	PV	-	-	
65	Wedge-tailed Shearwater	<i>Puffinus pacificus</i>	PO	-	-	
66	Sooty Shearwater	<i>Puffinus griseus</i>	PO	PO	-	
67	Short-tailed Shearwater	<i>Puffinus tenuirostris</i>	PO	PO	-	
<b>C07</b>	<b>Hydrobatidae</b>					
68	Leach's Storm-Petrel	<i>Oceanodroma leucorhoa</i>	-	PV	-	
69	Swinhoe's Storm-Petrel	<i>Oceanodroma monorhis</i>	PU	PO	-	
70	Tristram's Storm-Petrel	<i>Oceanodroma tristrami</i>	PV	-	-	
<b>C08</b>	<b>Phaethontidae</b>					
71	White-tailed Tropicbird	<i>Phaethon lepturus</i>	PV	-	-	
72	Red-billed Tropicbird	<i>Phaethon aethereus</i>	PV	-	-	
73	Red-tailed Tropicbird	<i>Phaethon rubricauda</i>	PO	-	-	
<b>C09</b>	<b>Ciconiidae</b>					
74	Black Stork	<i>Ciconia nigra</i>	WO / TO	-	WO	
75	Oriental Stork	<i>Ciconia boyciana</i>	WO	-	WO	
<b>C10</b>	<b>Fregatidae</b>					
76	Great Frigatebird	<i>Fregata minor</i>	PO	PO	PO	
77	Lesser Frigatebird	<i>Fregata ariel</i>	PO	-	PO	
<b>C11</b>	<b>Sulidae</b>					
78	Masked Booby	<i>Sula dactylatra</i>	PO	-	-	
79	Brown Booby	<i>Sula leucogaster</i>	PC	TO	TO	
80	Red-footed Booby	<i>Sula sula</i>	PO	PO	-	
<b>C12</b>	<b>Phalacrocoracidae</b>					
81	Great Cormorant	<i>Phalacrocorax carbo</i>	WC	WU	WC	
82	Japanese Cormorant	<i>Phalacrocorax capillatus</i>	WO	TO	V	
83	Pelagic Cormorant	<i>Phalacrocorax pelagicus</i>	V	V	V	
<b>C13</b>	<b>Pelecanidae</b>					
84	Dalmatian Pelican	<i>Pelecanus crispus</i>	V	-	TO	
<b>C14</b>	<b>Ardeidae</b>					
85	Great Bittern	<i>Botaurus stellaris</i>	WO	TO	WO	
86	Yellow Bittern	<i>Ixobrychus sinensis</i>	RC / SC	SU	SU / TU	
87	Schrenck's Bittern	<i>Ixobrychus eurhythmus</i>	TO	TO	TO	
88	Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>	RU	SO	SO	
89	Black Bittern	<i>Ixobrychus flavicollis</i>	TO	TO	TO	
90	Gray Heron	<i>Ardea cinerea</i>	WC	WU	WC	
91	Purple Heron	<i>Ardea purpurea</i>	WO	TO	TO	
92	Great Egret	<i>Ardea alba</i>	WC / SO	WC	WC	
93	Intermediate Egret	<i>Mesophoyx intermedia</i>	WC / SO	WU	WU	
94	White-faced Heron	<i>Egretta novaehollandiae</i>	V	-	-	
95	Chinese Egret	<i>Egretta eulophotes</i>	TU	TO	TO	
96	Little Egret	<i>Egretta garzetta</i>	RC / WU / TC	RC	RC	
97	Pacific Reef-Heron	<i>Egretta sacra</i>	RU	RC	RU	
98	Pied Heron	<i>Egretta picata</i>	V	-	-	
99	Cattle Egret	<i>Bubulcus ibis</i>	RC	SO / TC	RU / TU	
100	Chinese Pond-Heron	<i>Ardeola bacchus</i>	WO	SC / TC	SU / TU	
101	Javan Pond-Heron	<i>Ardeola speciosa</i>	V	-	-	
102	Striated Heron	<i>Butorides striata</i>	RU / TO	S O	TO	
103	Black-crowned Night-Heron	<i>Nycticorax nycticorax</i>	RC / WO / TO	RO	RC	
104	Rufous Night-Heron	<i>Nycticorax caledonicus</i>	V	-	-	
105	Japanese Night-Heron	<i>Gorsachius goisagi</i>	TO	TO	-	
106	Malayan Night-Heron	<i>Gorsachius melanophorus</i>	RC	-	V	
<b>C15</b>	<b>Threskiornithidae</b>					
107	Glossy Ibis	<i>Plegadis falcinellus</i>	V	-	-	
108	Sacred Ibis	<i>Threskiornis aethiopicus</i>	IU	IO	-	
109	Black-headed Ibis	<i>Threskiornis melanocephalus</i>	WO / TO	-	TO	
110	Crested Ibis	<i>Nipponia nippon</i>	V	-	-	
111	Eurasian Spoonbill	<i>Platalea leucorodia</i>	WO	-	TO	
112	Black-faced Spoonbill	<i>Platalea minor</i>	WO / TO	TO	WO	
<b>C16</b>	<b>Pandionidae</b>					
113	Osprey	<i>Pandion haliaetus</i>	WU	TO	RU	
<b>C17</b>	<b>Accipitridae</b>					

**STATUS**

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species.

**ABUNDANCE**

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
114	Oriental Honey-buzzard	<i>Pernis ptilorhynchus</i>	RU / TC	TO	TO	
115	Black-shouldered Kite	<i>Elanus caeruleus</i>	RO	RO	RU	
116	Black Baza	<i>Aviceda leuphotes</i>	TO	-	-	
117	Cinerous Vulture	<i>Aegypius monachus</i>	WO	-	-	
118	Crested Serpent-Eagle	<i>Spilornis cheela</i>	RC	-	-	Endemic SSP. ( <i>S. c. hoyae</i> )
119	Mountain Hawk-Eagle	<i>Nisaetus nipalensis</i>	RO	-	-	
120	Black Eagle	<i>Ictinaetus malayensis</i>	RO	-	-	
121	Greater Spotted Eagle	<i>Clanga clanga</i>	WO	TO	-	
122	Imperial Eagle	<i>Aquila heliaca</i>	TO	-	-	
123	Gray-faced Buzzard	<i>Butastur indicus</i>	TC / WO	TC	TU	
124	Eastern Marsh-Harrier	<i>Circus spilonotus</i>	WU / TU	TO	TO	
125	Northern Harrier	<i>Circus cyaneus</i>	WO / TO	TO	TO	
126	Pied Harrier	<i>Circus melanoleucos</i>	TO	-	TO	
127	Crested Goshawk	<i>Accipiter trivirgatus</i>	RC	V	-	
128	Chinese Sparrowhawk	<i>Accipiter soloensis</i>	TC	TC	TO	
129	Japanese Sparrowhawk	<i>Accipiter gularis</i>	WO / TU	WU / TC	TO	
130	Besra	<i>Accipiter virgatus</i>	RU	TO	TO	Endemic SSP. ( <i>A. v. fuscipactus</i> )
131	Eurasian Sparrowhawk	<i>Accipiter nisus</i>	WO	TO	TO	
132	Northern Goshawk	<i>Accipiter gentilis</i>	WO	TO	TO	
133	Black Kite	<i>Milvus migrans</i>	RO	TO	TO	
134	Brahminy Kite	<i>Haliastur indus</i>	V	-	V	
135	White-bellied Sea-Eagle	<i>Haliaeetus leucogaster</i>	V	V	V	
136	White-tailed Eagle	<i>Haliaeetus albicilla</i>	WO	-	-	
137	Rough-legged Hawk	<i>Buteo lagopus</i>	WO	-	V	
138	Common Buzzard	<i>Buteo buteo</i>	WU / TU	WC	WC	
139	Upland Buzzard	<i>Buteo hemilasius</i>	WO	TO	-	
<b>C18</b>	<b>Rallidae</b>					
140	Red-legged Crake	<i>Rallina fasciata</i>	V	V	-	
141	Slaty-legged Crake	<i>Rallina eurizonoides</i>	RU	-	-	Endemic SSP. ( <i>R. e. formosana</i> )
142	Slaty-breasted Rail	<i>Gallirallus striatus</i>	RU	V	V	Endemic SSP. ( <i>G. s. taiwanus</i> )
143	Brown-cheeked Rail	<i>Rallus indicus</i>	WO	TO	TO	
144	Brown Crake	<i>Amauornis akool</i>	-	RO	-	
145	White-breasted Waterhen	<i>Amauornis phoenicurus</i>	RC	RU	RC	
146	Baillon's Crake	<i>Porzana pusilla</i>	WO	TO	-	
147	Spotted Crake	<i>Porzana porzana</i>	V	-	-	
148	Ruddy-breasted Crake	<i>Porzana fusca</i>	RC	TO	RO	
149	Band-bellied Crake	<i>Porzana paykullii</i>	V	V	-	
150	White-browed Crake	<i>Porzana cinerea</i>	TO	-	-	
151	Watercock	<i>Gallicrex cinerea</i>	SO	TO	TO	
152	Purple Swamphen	<i>Porphyrio porphyrio</i>	V	-	-	
153	Eurasian Moorhen	<i>Gallinula chloropus</i>	RC	TO	RC	
154	Eurasian Coot	<i>Fulica atra</i>	WU	TO	WC	
<b>C19</b>	<b>Gruidae</b>					
155	Demoiselle Crane	<i>Anthropoides virgo</i>	V	-	-	
156	White-naped Crane	<i>Grus vipio</i>	V	-	-	
157	Common Crane	<i>Grus grus</i>	V	-	-	
158	Hooded Crane	<i>Grus monacha</i>	V	-	-	
159	Red-crowned Crane	<i>Grus japonensis</i>	V	-	-	
<b>C20</b>	<b>Charadriidae</b>					
160	Northern Lapwing	<i>Vanellus vanellus</i>	WU	TO	TO	
161	Gray-headed Lapwing	<i>Vanellus cinereus</i>	WO / TO	TO	TO	
162	Black-bellied Plover	<i>Pluvialis squatarola</i>	WC	TO	WU	
163	Pacific Golden-Plover	<i>Pluvialis fulva</i>	WC	TU	WU	
164	Lesser Sand-Plover	<i>Charadrius mongolus</i>	WU / TC	TO	TO	
165	Greater Sand-Plover	<i>Charadrius leschenaultii</i>	WU / TC	TO	WU / TU	
166	Kentish Plover	<i>Charadrius alexandrinus</i>	RU / WC	TU	RC	
167	Common Ringed Plover	<i>Charadrius hiaticula</i>	WO / TO	-	-	
168	Long-billed Plover	<i>Charadrius placidus</i>	WO	-	V	
169	Little Ringed Plover	<i>Charadrius dubius</i>	RO / WC	TU	WC / TC	
170	Oriental Plover	<i>Charadrius veredus</i>	TO	TO	TO	
<b>C21</b>	<b>Haematopodidae</b>					
171	Eurasian Oystercatcher	<i>Haematopus ostralegus</i>	WO	SO	RU / WC	
<b>C22</b>	<b>Recurvirostridae</b>					
172	Black-winged Stilt	<i>Himantopus himantopus</i>	RU / WC	TO	WU	
173	Pied Avocet	<i>Recurvirostra avosetta</i>	WO	-	TO	
<b>C23</b>	<b>Jacanidae</b>					

**STATUS**

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species.

**ABUNDANCE**

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (&lt;30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
174	Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>	RO / TO	TO	TO	
<b>C24</b>	<b>Scolopacidae</b>					
175	Terek Sandpiper	<i>Xenus cinereus</i>	TU	TO	TO	
176	Common Sandpiper	<i>Actitis hypoleucos</i>	WC	RC / TC	RC / TC	
177	Green Sandpiper	<i>Tringa ochropus</i>	WU	TO	WU	
178	Gray-tailed Tattler	<i>Tringa brevipes</i>	TC	TU	TU	
179	Wandering Tattler	<i>Tringa incana</i>	V	-	-	
180	Spotted Redshank	<i>Tringa erythropus</i>	WO	TO	TO	
181	Common Greenshank	<i>Tringa nebularia</i>	WC	TO	WC	
182	Nordmann's Greenshank	<i>Tringa guttifer</i>	TO	-	TO	
183	Lesser Yellowlegs	<i>Tringa flavipes</i>	V	-	-	
184	Marsh Sandpiper	<i>Tringa stagnatilis</i>	WU / TC	TO	TU	
185	Wood Sandpiper	<i>Tringa glareola</i>	WC / TC	TU	TU	
186	Common Redshank	<i>Tringa totanus</i>	WC	TO	WU	
187	Little Curlew	<i>Numenius minutus</i>	TU	TO	TO	
188	Whimbrel	<i>Numenius phaeopus</i>	WU / TC	TO	WC	
189	Far Eastern Curlew	<i>Numenius madagascariensis</i>	TU	TO	TO	
190	Eurasian Curlew	<i>Numenius arquata</i>	WU	TO	WC	
191	Black-tailed Godwit	<i>Limosa limosa</i>	WO / TU	TO	TO	
192	Bar-tailed Godwit	<i>Limosa lapponica</i>	WO / TU	TO	TO	
193	Ruddy Turnstone	<i>Arenaria interpres</i>	WC	TO	RU / TU	
194	Great Knot	<i>Calidris tenuirostris</i>	TU	TO	TO	
195	Red Knot	<i>Calidris canutus</i>	TU	TO	TO	
196	Sanderling	<i>Calidris alba</i>	WU	TU	WU	
197	Western Sandpiper	<i>Calidris mauri</i>	V	-	-	
198	Red-necked Stint	<i>Calidris ruficollis</i>	WC	TU	TO	
199	Little Stint	<i>Calidris minuta</i>	WO / TO	-	-	
200	Temminck's Stint	<i>Calidris temminckii</i>	WO	TO	TO	
201	Long-toed Stint	<i>Calidris subminuta</i>	WU	TO	TO	
202	Pectoral Sandpiper	<i>Calidris melanotos</i>	TO	TO	-	
203	Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	TC	TO	TU	
204	Dunlin	<i>Calidris alpina</i>	WC	TO	TO	
205	Curlew Sandpiper	<i>Calidris ferruginea</i>	WO / TC	TO	TO	
206	Stilt Sandpiper	<i>Calidris himantopus</i>	V	-	-	
207	Spoon-billed Sandpiper	<i>Eurynorhynchus pygmeus</i>	TO	-	TO	
208	Broad-billed Sandpiper	<i>Limicola falcinellus</i>	TU	TO	TO	
209	Buff-breasted Sandpiper	<i>Tryngites subruficollis</i>	V	-	-	
210	Ruff	<i>Philomachus pugnax</i>	WO	TO	TO	
211	Long-billed Dowitcher	<i>Limnodromus scolopaceus</i>	WO	-	V	
212	Asian Dowitcher	<i>Limnodromus semipalmatus</i>	TO	TO	TO	
213	Jack Snipe	<i>Lymnocryptes minimus</i>	TO	-	-	
214	Latham's Snipe	<i>Gallinago hardwickii</i>	TO	-	-	
215	Common Snipe	<i>Gallinago gallinago</i>	WC	TU	WU	
216	Pin-tailed Snipe	<i>Gallinago stenura</i>	WO / TC	TO	-	
217	Swinhoe's Snipe	<i>Gallinago megalaea</i>	WO / TC	TO	TO	
218	Eurasian Woodcock	<i>Scolopax rusticola</i>	WO	TO	TO	
219	Red-necked Phalarope	<i>Phalaropus lobatus</i>	TC	TU	TU	
220	Red Phalarope	<i>Phalaropus fulicarius</i>	TO	TO	TO	
<b>C25</b>	<b>Turnicidae</b>					
221	Small Buttonquail	<i>Turnix sylvaticus</i>	RO	-	-	
222	Yellow-legged Buttonquail	<i>Turnix tanki</i>	V	TO	-	
223	Barred Buttonquail	<i>Turnix suscitator</i>	RC	-	-	Endemic SSP. ( <i>T. s. rostratus</i> )
<b>C26</b>	<b>Glareolidae</b>					
224	Oriental Pratincole	<i>Glareola maldivarum</i>	SC	TU	TU	
<b>C27</b>	<b>Rostratulidae</b>					
225	Greater Painted-snipe	<i>Rostratula benghalensis</i>	RC	TO	TO	
<b>C28</b>	<b>Laridae</b>					
226	Black-legged Kittiwake	<i>Rissa tridactyla</i>	WO	TO	TO	
227	Saunders's Gull	<i>Saundersilarus saundersi</i>	WU	-	TO	
228	Silver Gull	<i>Chroicocephalus novaehollandiae</i>	V	-	-	
229	Black-headed Gull	<i>Chroicocephalus ridibundus</i>	WC	TO	WC	
230	Brown-headed Gull	<i>Chroicocephalus brunnicephalus</i>	V	-	-	
231	Little Gull	<i>Hydrocoloeus minutus</i>	V	-	-	
232	Laughing Gull	<i>Leucophaeus atricilla</i>	V	-	-	
233	Franklin's Gull	<i>Leucophaeus pipixcan</i>	V	-	-	
234	Pallas's Gull	<i>Ichthyaetus ichthyaetus</i>	WO	-	V	

**STATUS**

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species.

**ABUNDANCE**

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (&lt;30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
235	Black-tailed Gull	<i>Larus crassirostris</i>	WU	SC / TC	WO	
236	Mew Gull	<i>Larus canus</i>	WO	TO	WO	
237	Herring Gull	<i>Larus argentatus</i>	WO	TU	WU	
238	Caspian Gull	<i>Larus cachinnans</i>	WO	-	-	
239	Lesser Black-backed Gull	<i>Larus fuscus</i>	WO	-	-	
240	Slaty-backed Gull	<i>Larus schistisagus</i>	WO	TO	WU	
241	Glaucous Gull	<i>Larus hyperboreus</i>	V	-	-	
242	Brown Noddy	<i>Anous stolidus</i>	SO	TO	SO	
243	Sooty Tern	<i>Onychoprion fuscatus</i>	SO / TO	SO	-	
244	Bridled Tern	<i>Onychoprion anaethetus</i>	SU	SC	-	
245	Aleutian Tern	<i>Onychoprion aleuticus</i>	TU	TO	-	
246	Little Tern	<i>Sternula albifrons</i>	RU / SU	TO	TU	
247	Gull-billed Tern	<i>Gelochelidon nilotica</i>	WO / TU	TO	TO	
248	Caspian Tern	<i>Hydroprogne caspia</i>	WU	-	WU	
249	Black Tern	<i>Chlidonias niger</i>	V	-	-	
250	White-winged Tern	<i>Chlidonias leucopterus</i>	WO / TC	TU	TU	
251	Whiskered Tern	<i>Chlidonias hybrida</i>	WC / TC	TU	TU	
252	Roseate Tern	<i>Sterna dougallii</i>	SU	SC	SO	
253	Black-naped Tern	<i>Sterna sumatrana</i>	SU	SC	SO	
254	Common Tern	<i>Sterna hirundo</i>	TC	TO	TO	
255	Great Crested Tern	<i>Thalasseus bergii</i>	SU	SC	TO	
256	Sandwich Tern	<i>Thalasseus sandvicensis</i>	V	-	-	
257	Lesser Crested Tern	<i>Thalasseus bengalensis</i>	V	-	-	
258	Chinese Crested Tern	<i>Thalasseus bernsteini</i>	TO	SO	-	
<b>C29</b>	<b>Stercorariidae</b>					
259	South Polar Skua	<i>Stercorarius maccormicki</i>	V	-	-	
260	Pomarine Jaeger	<i>Stercorarius pomarinus</i>	PO	PO	-	
261	Parasitic Jaeger	<i>Stercorarius parasiticus</i>	PO	PO	-	
262	Long-tailed Jaeger	<i>Stercorarius longicaudus</i>	PO	PO	-	
<b>C31</b>	<b>Alcidae</b>					
263	Common Murre	<i>Uria aalge</i>	V	-	-	
264	Ancient Murrelet	<i>Synthliboramphus antiquus</i>	PO	PO	-	
265	Japanese Murrelet	<i>Synthliboramphus wumizusume</i>	PO	-	-	
<b>C31</b>	<b>Columbidae</b>					
266	Rock Pigeon	<i>Columba livia</i>	IC	-	-	
267	Ashy Wood-Pigeon	<i>Columba pulchricollis</i>	RU	-	-	
268	Japanese Wood-Pigeon	<i>Columba janthina</i>	V	-	-	
269	Oriental Turtle-Dove	<i>Streptopelia orientalis</i>	RC	RU / TU	WC	Endemic SSP. ( <i>S. o. ori</i> )
270	Eurasian Collared-Dove	<i>Streptopelia decaocto</i>	IO	-	V	
271	Red Collared-Dove	<i>Streptopelia tranquebarica</i>	RC	RO	TO	
272	Spotted Dove	<i>Streptopelia chinensis</i>	RC	RC	RC	
273	Barred Cuckoo-Dove	<i>Macropygia unchall</i>	-	-	V	
274	Philippine Cuckoo-Dove	<i>Macropygia tenuirostris</i>	RU (Lanyu)	-	-	
275	Emerald Dove	<i>Chalcophaps indica</i>		-	TO	
276	Orange-breasted Pigeon	<i>Treron bicinctus</i>	V	-	-	
277	Thick-billed Pigeon	<i>Treron curvirostra</i>	-	V	-	
278	White-bellied Pigeon	<i>Treron sieboldii</i>	RU	TO	TO	
279	Whistling Green-Pigeon	<i>Treron formosae</i>	RO	V	-	Endemic SSP. ( <i>T. f. formosae</i> )
280	Black-chinned Fruit-Dove	<i>Ptilinopus leclancheri</i>	RO	-	-	
<b>C32</b>	<b>Cuculidae</b>					
281	Chestnut-winged Cuckoo	<i>Clamator coromandus</i>	TO	TO	TO	
282	Large Hawk-Cuckoo	<i>Hierococcyx sparverioides</i>	SC	TO	SO	
283	Hodgson's Hawk-Cuckoo	<i>Hierococcyx nisicolor</i>	V	-	-	
284	Northern Hawk-Cuckoo	<i>Hierococcyx hyperythrus</i>	V	TO	-	
295	Indian Cuckoo	<i>Cuculus micropterus</i>	TO	TO	TU / SU	
286	Common Cuckoo	<i>Cuculus canorus</i>	TO	TO	-	
287	Himalayan Cuckoo	<i>Cuculus saturatus</i>	?	?	?	
288	Oriental Cuckoo	<i>Cuculus optatus</i>	SC	TU	TO	
289	Lesser Cuckoo	<i>Cuculus poliocephalus</i>	TO	TO	TO	
290	Plaintive Cuckoo	<i>Cacomantis merulinus</i>	V	TO	-	
291	Asian Drongo-Cuckoo	<i>Surinculus lugubris</i>	V	TO	TO	
292	Asian Koel	<i>Eudynamys scolopaceus</i>	TO	TO	SU	
293	Greater Coucal	<i>Centropus sinensis</i>	-	RU	RC	
294	Lesser Coucal	<i>Centropus bengalensis</i>	RC	V	RO	
<b>C33</b>	<b>Tytonidae</b>					
295	Australasian Grass-Owl	<i>Tyto longimembris</i>	RO	-	WO	Endemic SSP. ( <i>T. l. pithecop</i> )

**STATUS**

**R:** Resident, **W:** Winter Visitor, **S:** Summer Visitor, **T:** Transient Migrant, **P:** Pelagic Seabird, **V:** Vagrant, **I:** Introduced species.

**ABUNDANCE**

**C:** Common (70%-100% chance), **U:** Uncommon (30%-70% chance), **O:** Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
<b>C34</b>	<b>Strigidae</b>					
296	Mountain Scops-Owl	<i>Otus spilocephalus</i>	RC	-	-	Endemic SSP. ( <i>O. s. hambroeki</i> )
297	Collared Scops-Owl	<i>Otus lettia</i>	RC	-	V	Endemic SSP. ( <i>O. l. glabripes</i> )
298	Ryukyu Scops-Owl	<i>Otus elegans</i>	RC (Lanyu)	-	-	Endemic SSP. ( <i>O. e. botelensis</i> )
299	Oriental Scops-Owl	<i>Otus sunia</i>	TU	TO	TO	
300	Tawny Fish-Owl	<i>Ketupa flavipes</i>	RO	-	-	
301	Collared Owlet	<i>Glaucidium brodiei</i>	RU	-	-	Endemic SSP. ( <i>G. b. pardalotum</i> )
302	Little Owl	<i>Athene noctua</i>	V	-	-	
303	Brown Wood-Owl	<i>Strix leptogrammica</i>	RO	-	-	
304	Himalayan Owl	<i>Strix nivicola</i>	RO	-	-	Endemic SSP. ( <i>S. a. yamadae</i> )
305	Long-eared Owl	<i>Asio otus</i>	WO	-	WO	
306	Short-eared Owl	<i>Asio flammeus</i>	WU	-	WO	
307	Northern Boobook	<i>Ninox japonica</i>	RU / TU	TO	TO	
<b>C35</b>	<b>Caprimulgidae</b>					
308	Gray Nightjar	<i>Caprimulgus indicus</i>	TO	TO	TO	
309	Savanna Nightjar	<i>Caprimulgus affinis</i>	RC	TO	TO	Endemic SSP. ( <i>C. a. stictomus</i> )
<b>C36</b>	<b>Apodidae</b>					
310	White-throated Needletail	<i>Hirundapus caudacutus</i>	TO	TO	TO	
311	Silver-backed Needletail	<i>Hirundapus cochinchinensis</i>	RO	-	-	Endemic SSP. ( <i>H. c. formosanus</i> )
312	Himalayan Swiftlet	<i>Aerodramus brevirostris</i>	V	-	-	
313	Pacific Swift	<i>Apus pacificus</i>	RU / TU	SC	TO	
314	House Swift	<i>Apus nipalensis</i>	RC	RU	RC	Endemic SSP. ( <i>A. n. kuntzi</i> )
<b>C37</b>	<b>Alcedinidae</b>					
315	Common Kingfisher	<i>Alcedo atthis</i>	RC / TU	RC	RC	
316	Black-backed Dwarf-Kingfisher	<i>Ceyx erithaca</i>	V	V	-	
317	Ruddy Kingfisher	<i>Halcyon coromanda</i>	TO	TO	TO	
318	White-throated Kingfisher	<i>Halcyon smyrnensis</i>	TO	RU	RU	
319	Black-capped Kingfisher	<i>Halcyon pileata</i>	WO / TO	TO	WU	
320	Collared Kingfisher	<i>Todiramphus chloris</i>	V	-	-	
321	Pied Kingfisher	<i>Ceryle rudis</i>	-	TO	RU	
<b>C38</b>	<b>Meropidae</b>					
322	Blue-tailed Bee-eater	<i>Merops philippinus</i>	V	-	SC	
323	Rainbow Bee-eater	<i>Merops ornatus</i>	V	-	-	
<b>C39</b>	<b>Coraciidae</b>					
324	Dollarbird	<i>Eurystomus orientalis</i>	TO	TC	TO	
<b>C40</b>	<b>Upupidae</b>					
325	Eurasian Hoopoe	<i>Upupa epops</i>	WO / TO	TC	RC / TU	
<b>C41</b>	<b>Megalaaimidae</b>					
326	Taiwan Barbet	<i>Megalaima nuchalis</i>	RC	-	-	Endemic Species
<b>C42</b>	<b>Picidae</b>					
327	Eurasian Wryneck	<i>Jynx torquilla</i>	WO / TO	TO	WU	
328	Gray-capped Woodpecker	<i>Dendrocopos canicapillus</i>	RC	-	-	
329	White-backed Woodpecker	<i>Dendrocopos leucotos</i>	RU	-	-	Endemic SSP. ( <i>D. l. insularis</i> )
330	Gray-faced Woodpecker	<i>Picus canus</i>	RO	-	-	
<b>C43</b>	<b>Falconidae</b>					
331	Eurasian Kestrel	<i>Falco tinnunculus</i>	WC	RU / TC	WU	
332	Amur Falcon	<i>Falco amurensis</i>	TO	TO	TO	
333	Merlin	<i>Falco columbarius</i>	WO / TO	V	-	
334	Eurasian Hobby	<i>Falco subbuteo</i>	TU	TU	TO	
335	Peregrine Falcon	<i>Falco peregrinus</i>	RO / WU / TU	TO	WU	
<b>C44</b>	<b>Pittidae</b>					
336	Hooded Pitta	<i>Pitta sordida</i>	V	-	-	
337	Fairy Pitta	<i>Pitta nympha</i>	SU	-	-	
338	Blue-winged Pitta	<i>Pitta moluccensis</i>	V	V	-	
<b>C45</b>	<b>Campephagidae</b>					
339	Gray-chinned Minivet	<i>Pericrocotus solaris</i>	RC	-	-	
340	Long-tailed Minivet	<i>Pericrocotus ethologus</i>	V	-	-	
341	Ryukyu Minivet	<i>Pericrocotus tegimae</i>	V	-	-	
342	Ashy Minivet	<i>Pericrocotus divaricatus</i>	WO / TO	TC	TU	
343	Brown-rumped Minivet	<i>Pericrocotus cantonensis</i>	V	TO	-	
344	Large Cuckooshrike	<i>Coracina macei</i>	RO	V	-	
345	Pied Triller	<i>Lalage nigra</i>	V	-	-	
346	Black-winged Cuckooshrike	<i>Lalage melaschistos</i>	WO / TO	TU	TO	
<b>C46</b>	<b>Laniidae</b>					
347	Tiger Shrike	<i>Lanius tigrinus</i>	TO	-	-	
348	Bull-headed Shrike	<i>Lanius bucephalus</i>	WO	TO	TO	

**STATUS**

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species.

**ABUNDANCE**

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
349	Red-backed Shrike	<i>Lanius collurio</i>	V	-	-	
350	Brown Shrike	<i>Lanius cristatus</i>	WC / TC	TC	TC	
351	Long-tailed Shrike	<i>Lanius schach</i>	RC	TU / RO	RC	
352	Chinese Gray Shrike	<i>Lanius sphenocercus</i>	V	V	TO	
<b>C47</b>	<b>Vireonidae</b>					
353	White-bellied Erpornis	<i>Erpornis zantholeuca</i>	RC	-	-	
<b>C48</b>	<b>Oriolidae</b>					
354	Black-naped Oriole	<i>Oriolus chinensis</i>	RO / TO	TU	TO	
355	Maroon Oriole	<i>Oriolus traillii</i>	RU	-	-	Endemic SSP. ( <i>O. t. ardens</i> )
<b>C49</b>	<b>Dicruridae</b>					
356	Black Drongo	<i>Dicrurus macrocercus</i>	RC / TO	SU	SU	Endemic SSP. ( <i>D. m. harterti</i> )
357	Ashy Drongo	<i>Dicrurus leucophaeus</i>	WO / TO	TC	TO	
358	Crow-billed Drongo	<i>Dicrurus aeneus</i>	-	TO	-	
359	Bronzed Drongo	<i>Dicrurus hottentottus</i>	RC	-	-	Endemic SSP. ( <i>D. a. braunianus</i> )
360	Hair-crested Drongo		TO	TU	TO	
<b>C50</b>	<b>Monarchidae</b>					
361	Black-naped Monarch	<i>Hypothymis azurea</i>	RC	V	V	Endemic SSP. ( <i>H. a. oberholseri</i> )
362	Japanese Paradise-Flycatcher	<i>Terpsiphone atrocaudata</i>	TO; SC / RO (Lanyu)	TO	TO	
363	Asian Paradise-Flycatcher	<i>Terpsiphone paradisi</i>	TO	TO	TO	
<b>C51</b>	<b>Corvidae</b>					
364	Eurasian Jay	<i>Garrulus glandarius</i>	RC	-	-	Endemic SSP. ( <i>G. g. taivanus</i> )
365	Azure-winged Magpie	<i>Cyanopica cyana</i>	IO	-	-	
366	Formosan Magpie	<i>Urocissa caerulea</i>	RC	-	-	Endemic Species
367	Gray Treepie	<i>Dendrocitta formosae</i>	RC	V	V	Endemic SSP. ( <i>D. f. formosae</i> )
368	Eurasian Magpie	<i>Pica pica</i>	RC	TO	RC	
369	Eurasian Nutcracker	<i>Nucifraga caryocatactes</i>	RC	-	-	Endemic SSP. ( <i>N. c. owstoni</i> )
370	Daurian Jackdaw	<i>Corvus dauuricus</i>	V	-	WO	
371	House Crow	<i>Corvus splendens</i>	V	-	-	
372	Rook	<i>Corvus frugilegus</i>	WO	TO	-	
373	Carriion Crow	<i>Corvus corone</i>	TO	TO	WO	
374	Large-billed Crow	<i>Corvus macrorhynchos</i>	RC	V	V	
375	Collared Crow	<i>Corvus torquatus</i>	V	-	RU	
<b>C52</b>	<b>Alaudidae</b>					
376	Greater Short-toed Lark	<i>Calandrella brachydactyla</i>	V	-	-	
377	Lesser Short-toed Lark	<i>Calandrella rufescens</i>	V	-	-	
378	Sky Lark	<i>Alauda arvensis</i>	TO	TO	TO	
379	Oriental Skylark	<i>Alauda gulgula</i>	RC	RO	RU	
<b>C53</b>	<b>Hirundinidae</b>					
380	Gray-throated Martin	<i>Riparia chinensis</i>	RC	V	V	
381	Bank Swallow	<i>Riparia riparia</i>	TO	TU	TO	
382	Barn Swallow	<i>Hirundo rustica</i>	SC / WC / TC	SC	SC	
383	Pacific Swallow	<i>Hirundo tahitica</i>	RC	TU	TU	
384	Red-rumped Swallow	<i>Cecropis daurica</i>	TO	SO	TO	
385	Striated Swallow	<i>Cecropis striolata</i>	RC	-	-	
386	Asian House-Martin	<i>Delichon dasypus</i>	RU	-	-	
<b>C54</b>	<b>Stenostiridae</b>					
387	Gray-headed Canary-Flycatcher	<i>Culicicapa ceylonensis</i>	V	V	-	
<b>C55</b>	<b>Paridae</b>					
388	Coal Tit	<i>Periparus ater</i>	RC	-	-	Endemic SSP. ( <i>P. a. ptilosus</i> )
389	Great Tit	<i>Parus major</i>	V	RO	-	
390	Green-backed Tit	<i>Parus monticolus</i>	RC	-	-	Endemic SSP. ( <i>P. m. insperatus</i> )
391	Yellow Tit	<i>Macholophus holsti</i>	RO	-	-	Endemic Genus
392	Varied Tit	<i>Sittiparus varius</i>	RU	V	-	Endemic SSP. ( <i>S. v. castaneoventris</i> )
<b>C56</b>	<b>Remizidae</b>					
393	Chinese Penduline-Tit	<i>Remiz consobrinus</i>	V	TO	TO	
<b>C57</b>	<b>Aegithalidae</b>					
394	Black-throated Tit	<i>Aegithalos concinnus</i>	RC	RU	-	
<b>C58</b>	<b>Sittidae</b>					
395	Eurasian Nuthatch	<i>Sitta europaea</i>	RC	-	-	
<b>C59</b>	<b>Troglodytidae</b>					
396	Eurasian Wren	<i>Troglodytes troglodytes</i>	RC	-	-	Endemic SSP. ( <i>T. t. taivanus</i> )
<b>C60</b>	<b>Cinclidae</b>					
397	Brown Dipper	<i>Cinclus pallasi</i>	RU	-	-	
<b>C61</b>	<b>Pycnonotidae</b>					

**STATUS**

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species.

**ABUNDANCE**

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
398	Collared Finchbill	<i>Spizixos semitorques</i>	RC	-	-	Endemic SSP. ( <i>S. s. cinereicapillus</i> )
399	Styan's Bulbul	<i>Pycnonotus taivanus</i>	RC	-	-	Endemic Species
400	Light-vented Bulbul	<i>Pycnonotus sinensis</i>	RC	RC	RC	Endemic SSP. ( <i>P. s. formosae</i> )
401	Black Bulbul	<i>Hypsipetes leucocephalus</i>	RC	V	V	Endemic SSP. ( <i>H. l. nigerrimus</i> )
402	Brown-eared Bulbul	<i>Hypsipetes amaurotis</i>	TO / RC (Lanyu)	V	-	Endemic SSP. ( <i>I. a. harterti</i> )
403	Chestnut Bulbul	<i>Hemixos castanonotus</i>	-	-	V	
<b>C62</b>	<b>Regulidae</b>					
404	Goldcrest	<i>Regulus regulus</i>	WO / TO	TO	TO	
405	Flamecrest	<i>Regulus goodfellowi</i>	RC	-	-	Endemic Species
<b>C63</b>	<b>Pnoepygidiae</b>					
406	Taiwan Cupwing	<i>Pnoepyga formosana</i>	RC	-	-	Endemic Species
<b>C64</b>	<b>Cettiidae</b>					
407	Asian Stubtail	<i>Urosphena squameiceps</i>	WO / TO	TO	WO	
408	Rufous-faced Warbler	<i>Abroscopus albogularis</i>	RC	V	-	
409	Manchurian Bush-Warbler	<i>Cettia canturians</i>	WU	WU	WO	
410	Japanese Bush-Warbler	<i>Cettia diphone</i>	WO	-	-	
411	Brownish-flanked Bush-Warbler	<i>Cettia fortipes</i>	RC / TO	RC	V	Endemic SSP. ( <i>C. f. robustipes</i> )
412	Yellowish-bellied Bush-Warbler	<i>Cettia acanthizoides</i>	RC	-	-	Endemic SSP. ( <i>C. a. concolor</i> )
<b>C65</b>	<b>Phylloscopidae</b>					
413	Willow Warbler	<i>Phylloscopus trochilus</i>	V	-	-	
414	Common Chiffchaff	<i>Phylloscopus collybita</i>	V	-	-	
415	Wood Warbler	<i>Phylloscopus sibilatrix</i>	V	-	-	
416	Dusky Warbler	<i>Phylloscopus fuscatus</i>	WO / TO	TU	WU	
417	Tickell's Leaf-Warbler	<i>Phylloscopus affinis</i>	-	V	-	
418	Yellow-streaked Warbler	<i>Phylloscopus armandii</i>	V	-	-	
419	Radde's Warbler	<i>Phylloscopus schwarzi</i>	TO	TO	-	
420	Pallas's Leaf-Warbler	<i>Phylloscopus proregulus</i>	TU	TU	TO	
421	Yellow-browed Warbler	<i>Phylloscopus inornatus</i>	WU	WU	WU	
422	Arctic Warbler	<i>Phylloscopus borealis</i>	WC	WC	WU	
423	Greenish Warbler	<i>Phylloscopus trochiloides</i>	V	-	V	
424	Pale-legged Leaf-Warbler	<i>Phylloscopus tenellipes</i>	TO	TO	TO	
425	Sakhalin Leaf-Warbler	<i>Phylloscopus borealoides</i>	TO	TO	TO	
426	Eastern Crowned Leaf-Warbler	<i>Phylloscopus coronatus</i>	TO	TO	TO	
427	Iijima's Leaf-Warbler	<i>Phylloscopus ijimae</i>	TO	-	-	
428	Claudia's Leaf-Warbler	<i>Phylloscopus claudiae</i>	V	V	-	
429	Hartert's Leaf-Warbler	<i>Phylloscopus goodsoni</i>	V	V	-	
430	Sulphur-breasted Warbler	<i>Phylloscopus ricketti</i>	V	V	-	
431	Bianchi's Warbler	<i>Seicercus valentini</i>	V	-	-	
<b>C66</b>	<b>Acrocephalidae</b>					
432	Booted Warbler	<i>Iduna caligata</i>	V	-	-	
433	Streaked Reed-Warbler	<i>Acrocephalus sorghophilus</i>	V	-	-	
434	Black-browed Reed-Warbler	<i>Acrocephalus bistrigiceps</i>	WO / TO	TO	TO	
435	Manchurian Reed-Warbler	<i>Acrocephalus tangorum</i>	V	-	-	
436	Paddyfield Warbler	<i>Acrocephalus agricola</i>	V	-	-	
437	Blyth's Reed-Warbler	<i>Acrocephalus dumetorum</i>	V	-	-	
438	Oriental Reed-Warbler	<i>Acrocephalus orientalis</i>	WC	WC	WU	
<b>C67</b>	<b>Locustellidae</b>					
439	Taiwan Bush-Warbler	<i>Bradypterus alishanensis</i>	RC	-	-	
440	Lanceolated Warbler	<i>Locustella lanceolata</i>	TU	TO	TO	Endemic Species
441	Pallas's Grasshopper-Warbler	<i>Locustella certhiola</i>	TO	TO	-	
442	Middendorff's Grasshopper-Warbler	<i>Locustella ochotensis</i>	WO / TU	TO	-	
443	Pleske's Grasshopper-Warbler	<i>Locustella pleskei</i>	TO	-	-	
444	Gray's Grasshopper-Warbler	<i>Locustella fasciolata</i>	TO	-	-	
445	Sakhalin Grasshopper-Warbler	<i>Locustella amnicola</i>	TO	-	-	
<b>C68</b>	<b>Cisticolidae</b>					
446	Zitting Cisticola	<i>Cisticola juncidis</i>	RC / TO	TU	TU	
447	Golden-headed Cisticola	<i>Cisticola exilis</i>	RU	-	-	Endemic SSP. ( <i>C. e. volitans</i> )
448	Striated Prinia	<i>Prinia crinigera</i>	RC	-	-	Endemic SSP. ( <i>P. c. striata</i> )
449	Yellow-bellied Prinia	<i>Prinia flaviventris</i>	RC	RO	RC	
450	Plain Prinia	<i>Prinia inornata</i>	RC	RO	RC	Endemic SSP. ( <i>P. i. flavirostris</i> )
<b>C69</b>	<b>Sylviidae</b>					
451	Asian Desert Warbler	<i>Sylvia nana</i>	V	-	-	
452	Lesser Whitethroat	<i>Sylvia curruca</i>	V	-	-	
453	Taiwan Fulvetta	<i>Fulvetta formosana</i>	RC	-	-	Endemic Species
454	Vinous-throated Parrotbill	<i>Paradoxornis webbianus</i>	RC	-	-	Endemic SSP. ( <i>P. w. bulomachus</i> )

**STATUS**

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species.

**ABUNDANCE**

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (&lt;30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
455	Golden Parrotbill	<i>Paradoxornis verreauxi</i>	RO	-	-	Endemic SSP. ( <i>P. v. morrisonianus</i> )
<b>C70</b>	<b>Zosteropidae</b>					
456	Taiwan Yuhina	<i>Yuhina brunneiceps</i>	RC	-	-	Endemic Species
457	Chestnut-flanked White-eye	<i>Zosterops erythropleurus</i>	V	-	-	
458	Japanese White-eye	<i>Zosterops japonicus</i>	RC	RC	RC	
459	Lowland White-eye	<i>Zosterops meyeni</i>	RC (Lanyu on)	-	-	
<b>C71</b>	<b>Pellorneidae</b>					
460	Gray-cheeked Fulvetta	<i>Alcippe morrisonia</i>	RC	-	-	Endemic SSP. ( <i>A. m. morrisonia</i> )
461	Dusky Fulvetta	<i>Schoeniparus brunneus</i>	RC	-	-	Endemic SSP. ( <i>S. b. brunnea</i> )
<b>C72</b>	<b>Leiothrichidae</b>					
462	Rufous-crowned Laughingthrush	<i>Garrulax ruficeps</i>	RO	-	-	Endemic Species
463	Rusty Laughingthrush	<i>Garrulax poecilophrynchus</i>	RU	-	-	Endemic Species
464	Hwamei	<i>Garrulax canorus</i>	IU	V	RO	
465	Taiwan Hwamei	<i>Garrulax taewanus</i>	RU	-	-	Endemic Species
466	White-whiskered Laughingthrush	<i>Garrulax morrisonianus</i>	RC	-	-	Endemic Species
467	White-eared Sibia	<i>Heterophasia auricularis</i>	RC	-	-	Endemic Species
468	Steere's Liocichla	<i>Liocichla steerii</i>	RC	-	-	Endemic Species
469	Taiwan Barwing	<i>Actinodura morrisoniana</i>	RC	-	-	Endemic Species
<b>C73</b>	<b>Timaliidae</b>					
470	Rufous-capped Babbler	<i>Stachyridopsis ruficeps</i>	RC	-	-	Endemic SSP. ( <i>S. r. praecognita</i> )
471	Black-necklaced Scimitar-Babbler	<i>Pomatorhinus erythrocnemis</i>	RC	-	-	Endemic Species
472	Taiwan Scimitar-Babbler	<i>Pomatorhinus musicus</i>	RC	-	-	Endemic Species
<b>C74</b>	<b>Muscicapidae</b>					
473	Spotted Flycatcher	<i>Muscicapa striata</i>	V	-	-	
474	Dark-sided Flycatcher	<i>Muscicapa sibirica</i>	TO	TO	TO	
475	Asian Brown Flycatcher	<i>Muscicapa latirostris</i>	TU / WO	TC	TU	
476	Gray-streaked Flycatcher	<i>Muscicapa griseisticta</i>		TC	TO	
477	Brown-breasted Flycatcher	<i>Muscicapa muttui</i>	V	-	-	
478	Ferruginous Flycatcher	<i>Muscicapa ferruginea</i>	SU	TO	V	
479	Oriental Magpie-Robin	<i>Copsychus saularis</i>	IO	RU	RC	
480	Brown-chested Jungle-Flycatcher	<i>Cyornis brunneatus</i>	V	-	-	
481	Fujian Niltava	<i>Niltava davidi</i>	V	-	-	
482	Rufous-bellied Niltava	<i>Niltava sundara</i>	V	-	-	
483	Vivid Niltava	<i>Niltava vivida</i>	RU	-	-	Endemic SSP. ( <i>N. v. vivida</i> )
484	Blue-and-white Flycatcher	<i>Cyanoptila cyanomelana</i>	TO	TO	TO	
485	Verditer Flycatcher	<i>Eumyias thalassinus</i>	WO	TO	TO	
486	White-browed Shortwing	<i>Brachypteryx montana</i>	RC	-	-	Endemic SSP. ( <i>B. m. goodfellowi</i> )
487	Rufous-tailed Robin	<i>Larvivora sibilans</i>	TO	TO	-	
488	Japanese Robin	<i>Larvivora akahige</i>	WO	V	-	
489	Ryukyu Robin	<i>Larvivora komadori</i>	V	-	-	
490	Siberian Blue Robin	<i>Larvivora cyane</i>	TO	TO	-	
491	Bluethroat	<i>Luscinia svecica</i>	WO	TO	-	
492	Formosan Whistling-Thrush	<i>Myophonus insularis</i>	RC	-	-	Endemic Species
493	Blue Whistling-Thrush	<i>Myophonus caeruleus</i>	-	RC	TO	
494	Little Forktail	<i>Enicurus scouleri</i>	RO	-	-	Endemic SSP. ( <i>E. s. fortis</i> )
495	Siberian Rubythroat	<i>Calliope calliope</i>	WU / TC	TU	WO	
496	White-tailed Robin	<i>Cinclidium leucurum</i>		RU	-	Endemic SSP. ( <i>C. l. montium</i> )
497	Red-flanked Bluetail	<i>Tarsiger cyanurus</i>	WU	WU	WU	
498	White-browed Bush-Robin	<i>Tarsiger indicus</i>	RO	-	-	Endemic SSP. ( <i>T. i. formosanus</i> )
499	Collared Bush-Robin	<i>Tarsiger johnstoniae</i>	RC	-	-	Endemic Species
500	Taiga Flycatcher	<i>Ficedula albicilla</i>	WO / TO	TO	TO	
501	Korean Flycatcher	<i>Ficedula zanthopygia</i>		TO	TO	
502	Narcissus Flycatcher	<i>Ficedula narcissina</i>	TO	TO	TO	
503	Mugimaki Flycatcher	<i>Ficedula mugimaki</i>	WO / TO	TO	TO	
504	Slaty-backed Flycatcher	<i>Ficedula hodgsonii</i>		V	-	
505	Snowy-browed Flycatcher	<i>Ficedula hyperythra</i>	RC	-	-	Endemic SSP. ( <i>F. h. innexa</i> )
506	Red-breasted Flycatcher	<i>Ficedula parva</i>	WO	TO	TO	
507	Plumbeous Redstart	<i>Phoenicurus fuliginosus</i>	RC	TO	TO	Endemic SSP. ( <i>R. f. affinis</i> )
508	White-capped Redstart	<i>Phoenicurus leucocephalus</i>	-	V	-	
509	Black Redstart	<i>Phoenicurus ochruros</i>	V	V	-	
510	Daurian Redstart	<i>Phoenicurus auroreus</i>	WU	WU	WU	
511	White-throated Rock-Thrush	<i>Monticola gularis</i>	V	TO	-	
512	Blue Rock-Thrush	<i>Monticola solitarius</i>	RO / WC	WC	WU	
513	Siberian Stonechat	<i>Saxicola maurus</i>		WU / TU	WU / TU	WU
514	Gray Bushchat	<i>Saxicola ferreus</i>	TO	TU	TO	
515	Northern Wheatear	<i>Oenanthe oenanthe</i>	V	-	-	

#### STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species.

#### ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
516	Pied Wheatear	<i>Oenanthe pleschanka</i>	-	V	-	
517	Desert Wheatear	<i>Oenanthe deserti</i>	V	V	-	
518	Isabelline Wheatear	<i>Oenanthe isabellina</i>	V	-	-	
<b>C75 Turdidae</b>						
519	Siberian Thrush	<i>Geokichla sibirica</i>	TO	TO	TO	
520	Orange-headed Thrush	<i>Geokichla citrina</i>	V	-	-	
521	Scaly Thrush	<i>Zoothera dauma</i>	WC	WU	WU	
522	Gray-backed Thrush	<i>Turdus hortulorum</i>	TO	TO	WO	
523	Japanese Thrush	<i>Turdus cardis</i>	TO	TO	WU	
524	Eurasian Blackbird	<i>Turdus merula</i>	WO	WU	RU	
525	Island Thrush	<i>Turdus poliocephalus</i>	RO	-	-	Endemic SSP. ( <i>T. p. niveiceps</i> )
526	Eyebrowed Thrush	<i>Turdus obscurus</i>	WU	TU	WU	
527	Pale Thrush	<i>Turdus pallidus</i>	WC	TU	WU	
528	Brown-headed Thrush	<i>Turdus chrysolaus</i>	WC	TU	WU	
529	Red-throated Thrush	<i>Turdus ruficollis</i>	V	V	V	
530	Dusky Thrush	<i>Turdus eunomus</i>	WU	TU	WU	
531	Naumann's Thrush	<i>Turdus naumanni</i>	WU	TU	WU	
532	Chinese Thrush	<i>Turdus mupinensis</i>	V	-	-	
<b>C76 Sturnidae</b>						
533	Asian Glossy Starling	<i>Aplonis panayensis</i>	IU	-	-	
534	Crested Myna	<i>Acridotheres cristatellus</i>	RU	RU	RC	Endemic SSP. ( <i>A. c. formosanus</i> )
535	Javan Myna	<i>Acridotheres javanicus</i>	IC	-	IO	
536	Jungle Myna	<i>Acridotheres fuscus</i>	IU	IO	-	
537	Common Myna	<i>Acridotheres tristis</i>	IC	IO	IO	
538	Black-collared Starling	<i>Gracupica nigricollis</i>	IO	-	RU	
539	Daurian Starling	<i>Sturnia sturnina</i>	TO	TO	-	
540	Chestnut-cheeked Starling	<i>Sturnia philippensis</i>	TO	TO	TO	
541	White-shouldered Starling	<i>Sturnia sinensis</i>	WU	TU	TU	
542	Chestnut-tailed Starling	<i>Sturnia malabarica</i>	IO	-	-	
543	Rosy Starling	<i>Pastor roseus</i>	V	V	V	
544	Red-billed Starling	<i>Sturnus sericeus</i>	WU	TU	WU	
545	European Starling	<i>Sturnus vulgaris</i>	TO / WO	TO	TO	
546	White-cheeked Starling	<i>Sturnus cineraceus</i>	WU	TU	WU	
<b>C77 Dicaeidae</b>						
547	Plain Flowerpecker	<i>Dicaeum minullum</i>	RU	-	-	Endemic SSP. ( <i>D. m. uchidai</i> )
548	Fire-breasted Flowerpecker	<i>Dicaeum ignipectum</i>	RC	-	-	
<b>C78 Nectariniidae</b>						
549	Fork-tailed Sunbird	<i>Aethopyga christinae</i>	-	TO	RO	
<b>C79 Prunellidae</b>						
550	Alpine Accentor	<i>Prunella collaris</i>	RC	-	-	Endemic SSP. ( <i>P. c. fennelli</i> )
551	Siberian Accentor	<i>Prunella montanella</i>	V	-	-	
<b>C80 Motacillidae</b>						
552	Western Yellow Wagtail	<i>Motacilla flava</i>	WC / TC	TC	TC	
553	Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	WU / TU	WU / TU	WU / TU	
554	Citrine Wagtail	<i>Motacilla citreola</i>	TO	TO	TO	
555	Gray Wagtail	<i>Motacilla cinerea</i>	WC	TC	TU	
556	White Wagtail	<i>Motacilla alba</i>	RC / WC	RC / WC	RC / WC	
557	Japanese Wagtail	<i>Motacilla grandis</i>	V	-	-	
558	Richard's Pipit	<i>Anthus richardi</i>	WU	WU	WC	
559	Blyth's Pipit	<i>Anthus godlewskii</i>	V	V	V	
560	Olive-backed Pipit	<i>Anthus hodgsoni</i>	WC	WC / TU	WC / TU	
561	Pechora Pipit	<i>Anthus gustavi</i>	TO	TU	TO	
562	Red-throated Pipit	<i>Anthus cervinus</i>	WU	WU	WU	
563	Water Pipit	<i>Anthus spinoletta</i>	V	TO	TO	
564	American Pipit	<i>Anthus rubescens</i>	WO	TO	TO	
565	Forest Wagtail	<i>Dendronanthus indicus</i>	WO	TO	TO	
<b>C81 Bombycillidae</b>						
566	Bohemian Waxwing	<i>Bombycilla garrulus</i>	V	TO	-	
567	Japanese Waxwing	<i>Bombycilla japonica</i>	V	TO	-	
<b>C82 Calcariidae</b>						
568	Lapland Longspur	<i>Calcarius lapponicus</i>	V	-	-	
569	Snow Bunting	<i>Plectrophenax nivalis</i>	V	-	-	
<b>C83 Emberizidae</b>						
570	Crested Bunting	<i>Melophus lathami</i>	V	TO	TO	
571	Pine Bunting	<i>Emberiza leucocephala</i>	V	-	-	
572	Meadow Bunting	<i>Emberiza cioides</i>	V	V	-	

**STATUS**

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species.

**ABUNDANCE**

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
573	Ochre-rumped Bunting	<i>Emberiza yessoensis</i>	V	-	-	
574	Tristram's Bunting	<i>Emberiza tristrami</i>	TO	TU	TO	
575	Chestnut-eared Bunting	<i>Emberiza fucata</i>	TO	TO	TO	
576	Yellow-browed Bunting	<i>Emberiza chrysophrys</i>	TO	WU	TO	
577	Little Bunting	<i>Emberiza pusilla</i>	WO / TU	RU / TU	TU	
578	Rustic Bunting	<i>Emberiza rustica</i>	TO	TO	TO	
579	Yellow-throated Bunting	<i>Emberiza elegans</i>	WO	TU	TO	
580	Yellow-breasted Bunting	<i>Emberiza aureola</i>	TO	TC	TO	
581	Chestnut Bunting	<i>Emberiza rutila</i>	TU	TC	TO	
582	Black-headed Bunting	<i>Emberiza melanocephala</i>	TO	TO	-	
583	Red-headed Bunting	<i>Emberiza bruniceps</i>	V	-	-	
584	Yellow Bunting	<i>Emberiza sulphurata</i>	TO	TC	TO	
585	Black-faced Bunting	<i>Emberiza spodocephala</i>	WC	WC	WC	
586	Gray Bunting	<i>Emberiza variabilis</i>	V	V	-	
587	Pallas's Bunting	<i>Emberiza pallasi</i>	WO	TO	TO	
588	Reed Bunting	<i>Emberiza schoeniclus</i>	V	-	-	
<b>C84</b>	<b>Fringillidae</b>					
589	Brambling	<i>Fringilla montifringilla</i>	WO	TO	TO	
590	Brown Bullfinch	<i>Pyrrhula nipalensis</i>	RU	-	-	Endemic SSP. ( <i>P. n. uchidae</i> )
591	Gray-headed Bullfinch	<i>Pyrrhula erythaca</i>	RU	-	-	Endemic SSP. ( <i>P. e. owstoni</i> )
592	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>	V	-	-	
593	Common Rosefinch	<i>Carpodacus erythrinus</i>	WO	V	-	
594	Taiwan Rosefinch	<i>Carpodacus formosanus</i>	RC	-	-	Endemic Species
595	Oriental Greenfinch	<i>Chloris sinica</i>	WO	RU	RU	
596	Common Redpoll	<i>Acanthis flammea</i>	V	-	-	
597	Eurasian Siskin	<i>Spinus spinus</i>	WO	TU	TU	
598	Hawfinch	<i>Coccothraustes coccothraustes</i>	WO	TO	TO	
599	Yellow-billed Grosbeak	<i>Eophona migratoria</i>	WO	RU	TO	
600	Japanese Grosbeak	<i>Eophona personata</i>	WO	TO	TO	
<b>C85</b>	<b>Passeridae</b>					
601	House Sparrow	<i>Passer domesticus</i>	V	-	-	
602	Russet Sparrow	<i>Passer rutilans</i>	RO	-	-	
603	Eurasian Tree Sparrow	<i>Passer montanus</i>	RC	RC	RC	
<b>C86</b>	<b>Estrildidae</b>					
604	Orange-cheeked Waxbill	<i>Estrilda melpoda</i>	IU	-	-	
605	Indian Silverbill	<i>Euodice malabarica</i>	IU	-	-	
606	White-rumped Munia	<i>Lonchura striata</i>	RC	V	-	
607	Nutmeg Mannikin	<i>Lonchura punctulata</i>	RC	RU	RC	
608	Chestnut Munia	<i>Lonchura atricapilla</i>	RO	-	V	

#### STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species.

#### ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).