

The 2014 CWBF Checklist of the Birds of Taiwan

Tzung-Su DING, Ching-Sung JUAN, Ruey-Shing LIN, Chih-Yuan, PAN, Yi-Jung TSAI, John WU, and Yu-Hsiang YANG

Bird Record Committee, Chinese Wild Bird Federation
No.3, Ln. 36, Jinglong St., Wenshan Dist., Taipei City 116, TAIWAN
E-mail: mail@bird.org.tw

This checklist of the birds of Taiwan is prepared by Bird Record Committee, an official committee of Chinese Wild Bird Federation. The committee updates the checklist annually to assure it is the most complete and accurate checklist for the birds found in Taiwan. The current version was released on 11 Feb, 2014. The geographical area of this checklist covers the land and sea under the jurisdiction of the government of the Republic of China (widely known as 'Taiwan'), including Taiwan Island and its adjacent islands (Penghu, Lanyu, and Ludao), and two groups of outlying islands near mainland China: Matsu islands and Kinmen islands. Based on the geographical location and avifauna similarity, we divide the geographical area of this checklist into three regions: Taiwan (including adjacent islands), Matsu, and Kinmen. The taxonomy and English names for birds in this checklist follow the eBird/Clements Checklist of Birds of the World Version 6.8 (Clements et al. 2013), which was released online on August 6, 2013. The only exception that does not follow the Clements 6.8 checklist is Taiwan Rosefinch (*Carpodacus formosanus*), which we accept it as an endemic species of Taiwan, as suggested by Zou et al. (2011). In total, this checklist accepts 626 bird species (including 12 naturalized species) and recognizes 25 endemic species and 58 endemic subspecies of Taiwan.

This checklist categorizes the birds of Taiwan into six statuses: **Resident** (remain year-round in a specific region), **Winter Visitor** (spend only the winter in a specific region), **Summer Visitor** (spend only the summer in a specific region), **Transient Migrant** (only stop for a short period of time during their annual migration), **Pelagic Seabird** (mostly stay on open sea and rarely visit land), **Vagrant** (recorded outside of its normal distribution range), and **Introduced** (introduced by human deliberately or accidentally). A given species might have multiple statuses within a specific region. With our best knowledge on the distribution and abundance of birds in Taiwan, we assign the species to four categories: **Common** (have a >70% chance to record the species during a day-trip in appropriate habitat and time), **Uncommon** (have a 30%-70% chance to record the species during a day-trip in appropriate habitat and time), **Occasional** (have a <30% chance to record the species during a day-trip in appropriate habitat and time), and **Vagrant** (with very limited records).

Comments and suggestions on this checklist are welcome and should be sent to Chinese Wild Bird Federation.

Suggested Citation: Ding, T.-S., C.-S. Juan, R.-S. Lin, C.-Y. Pan, Y.-J. Tsai, J. Wu and Y.-H. Yang. 2014. The 2014 CWBF Checklist of the Birds of Taiwan. Chinese Wild Bird Federation. Taipei, Taiwan.

Literature cited

Clements, J.F., T.S. Schulenberg, M.J. Iliff, B.L. Sullivan, C.L. Wood, and D. Roberson. 2013. The eBird/Clements checklist of birds of the world: Version 6.8. Downloaded from <http://www.birds.cornell.edu/clementschecklist/download/>
Zou, C.-T. Yao, S.-H. Li, and F.-M. Lei. 2011. Molecular and morphological evidences reveal a cryptic species in the Vinaceous Rosefinch *Carpodacus vinaceus* (Fringillidae; Aves). *Zoologica Scripta* 40:468-478.

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
C01	Anatidae					
1	Lesser Whistling-Duck	<i>Dendrocygna javanica</i>	V	-	-	
2	Swan Goose	<i>Anser cygnoides</i>	WO	-	WO	
3	Taiga Bean-Goose	<i>Anser fabalis</i>	WO	TO	WO	
4	Tundra Bean-Goose	<i>Anser serrirostris</i>	WO	TO	WO	
5	Greater White-fronted Goose	<i>Anser albifrons</i>	WO	WO	WO	
6	Lesser White-fronted Goose	<i>Anser erythropus</i>	TO	-	-	
7	Graylag Goose	<i>Anser anser</i>	V	-	-	
8	Brant	<i>Branta bernicla</i>	V	-	-	
9	Cackling Goose	<i>Branta hutchinsii</i>	V	-	-	
10	Mute Swan	<i>Cygnus olor</i>	V	-	-	
11	Tundra Swan	<i>Cygnus columbianus</i>	V	-	V	
12	Whooper Swan	<i>Cygnus cygnus</i>	V	-	V	
13	Ruddy Shelduck	<i>Tadorna ferruginea</i>	WO	-	WO	
14	Common Shelduck	<i>Tadorna tadorna</i>	WO	-	WO	
15	Cotton Pygmy-Goose	<i>Nettapus coromandelianus</i>	V	-	V	
16	Mandarin Duck	<i>Aix galericulata</i>	RU / TO	TO	TO	
17	Gadwall	<i>Anas strepera</i>	WU	WO	WO	
18	Falcated Duck	<i>Anas falcata</i>	WO	WO	WU	
19	Eurasian Wigeon	<i>Anas penelope</i>	WC	TU	WC	
20	American Wigeon	<i>Anas americana</i>	WO	-	WO	
21	Mallard	<i>Anas platyrhynchos</i>	WU / IO	TU	WU	
22	Eastern Spot-billed Duck	<i>Anas zonorhyncha</i>	RU / WU	TO	RC	
23	Philippine Duck	<i>Anas luzonica</i>	V	-	-	
24	Northern Shoveler	<i>Anas clypeata</i>	WC	TO	WU	
25	Northern Pintail	<i>Anas acuta</i>	WC	TU	WC	
26	Garganey	<i>Anas querquedula</i>	WO / TC	TO	WU	
27	Baikal Teal	<i>Anas formosa</i>	WO	TO	WO	
28	Green-winged Teal	<i>Anas crecca</i>	WC	TU	WC	
29	Red-crested Pochard	<i>Netta rufina</i>	V	-	-	
30	Canvasback	<i>Aythya valisineria</i>	V	-	-	
31	Common Pochard	<i>Aythya ferina</i>	WO	-	WO	
32	Baer's Pochard	<i>Aythya baeri</i>	WO	-	V	
33	Ferruginous Duck	<i>Aythya nyroca</i>	V	-	-	
34	Tufted Duck	<i>Aythya fuligula</i>	WC	TO	WO	
35	Greater Scaup	<i>Aythya marila</i>	WO	-	WO	
36	Long-tailed Duck	<i>Clangula hyemalis</i>	V	-	-	
37	Common Goldeneye	<i>Bucephala clangula</i>	TO	-	V	
38	Smew	<i>Mergellus albellus</i>	TO	-	-	
39	Common Merganser	<i>Mergus merganser</i>	V	-	V	
40	Red-breasted Merganser	<i>Mergus serrator</i>	WO	WO	V	
41	Scaly-sided Merganser	<i>Mergus squamatus</i>	WO	-	-	
C02	Phasianidae					
42	Japanese Quail	<i>Coturnix japonica</i>	TO	TO	TO	
43	Blue-breasted Quail	<i>Coturnix chinensis</i>	RO	-	-	
44	Taiwan Partridge	<i>Arborophila crudigularis</i>	RU	-	-	Endemic Species
45	Chinese Bamboo-Partridge	<i>Bambusicola thoracicus</i>	RC	-	-	Endemic SSP. (<i>B. t. sonorivox</i>)
46	Swinhoe's Pheasant	<i>Lophura swinhoii</i>	RU	-	-	Endemic Species
47	Mikado Pheasant	<i>Symaticus mikado</i>	RO	-	-	Endemic Species
48	Ring-necked Pheasant	<i>Phasianus colchicus</i>	RU	-	IC	Endemic SSP. (<i>P. c. formosanus</i>)
C03	Gaviidae					
49	Red-throated Loon	<i>Gavia stellata</i>	V	WO	WO	
50	Arctic Loon	<i>Gavia arctica</i>	V	-	V	
51	Pacific Loon	<i>Gavia pacifica</i>	V	-	-	
52	Yellow-billed Loon	<i>Gavia adamsii</i>	-	V	-	
C04	Podicipedidae					
53	Little Grebe	<i>Tachybaptus ruficollis</i>	RC / WC	WO / TU	RC	
54	Horned Grebe	<i>Podiceps auritus</i>	WO	TO	WO	
55	Red-necked Grebe	<i>Podiceps grisegena</i>	-	V	-	
56	Great Crested Grebe	<i>Podiceps cristatus</i>	WO	TO	WC	
57	Eared Grebe	<i>Podiceps nigricollis</i>	WO	TO	WO	
C05	Diomedidae					
58	Laysan Albatross	<i>Phoebastria immutabilis</i>	PV	-	-	
59	Black-footed Albatross	<i>Phoebastria nigripes</i>	PO	-	PO	
60	Short-tailed Albatross	<i>Phoebastria albatrus</i>	PO	-	PO	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
C06	Procellariidae					
61	Bonin Petrel	<i>Pterodroma hypoleuca</i>	PO	-	-	
62	Bulwer's Petrel	<i>Bulweria bulwerii</i>	PC	SU	-	
63	Tahiti Petrel	<i>Pseudobulweria rostrata</i>	PV	-	-	
64	Streaked Shearwater	<i>Calonectris leucomelas</i>	PC	PU	-	
65	Flesh-footed Shearwater	<i>Puffinus carneipes</i>	PV	-	-	
66	Wedge-tailed Shearwater	<i>Puffinus pacificus</i>	PO	-	-	
67	Sooty Shearwater	<i>Puffinus griseus</i>	PO	PO	-	
68	Short-tailed Shearwater	<i>Puffinus tenuirostris</i>	PO	PO	-	
C07	Hydrobatidae					
69	Leach's Storm-Petrel	<i>Oceanodroma leucorhoa</i>	-	PV	-	
70	Swinhoe's Storm-Petrel	<i>Oceanodroma monorhis</i>	PU	PO	-	
71	Tristram's Storm-Petrel	<i>Oceanodroma tristrami</i>	PV	-	-	
C08	Phaethontidae					
72	White-tailed Tropicbird	<i>Phaethon lepturus</i>	PV	-	-	
73	Red-billed Tropicbird	<i>Phaethon aethereus</i>	PV	-	-	
74	Red-tailed Tropicbird	<i>Phaethon rubricauda</i>	PO	-	-	
C09	Ciconiidae					
75	Black Stork	<i>Ciconia nigra</i>	WO / TO	-	WO	
76	Oriental Stork	<i>Ciconia boyciana</i>	WO	TO	WO	
C10	Fregatidae					
77	Great Frigatebird	<i>Fregata minor</i>	PO	PO	PO	
78	Lesser Frigatebird	<i>Fregata ariel</i>	PO	PO	PO	
C11	Sulidae					
79	Masked Booby	<i>Sula dactylatra</i>	PO	-	-	
80	Brown Booby	<i>Sula leucogaster</i>	PC	TO	TO	
81	Red-footed Booby	<i>Sula sula</i>	PO	PO	-	
C12	Phalacrocoracidae					
82	Great Cormorant	<i>Phalacrocorax carbo</i>	WC	WU	WC	
83	Japanese Cormorant	<i>Phalacrocorax capillatus</i>	WO	WO	V	
84	Pelagic Cormorant	<i>Phalacrocorax pelagicus</i>	V	V	V	
C13	Pelecanidae					
85	Dalmatian Pelican	<i>Pelecanus crispus</i>	V	-	TO	
C14	Ardeidae					
86	Great Bittern	<i>Botaurus stellaris</i>	WO	TO	WO	
87	Yellow Bittern	<i>Ixobrychus sinensis</i>	RC / SC	SU	SU / TU	
88	Schrenck's Bittern	<i>Ixobrychus eurhythmus</i>	TO	TO	TO	
89	Cinnamon Bittern	<i>Ixobrychus cinnamomeus</i>	RU	SO	SO	
90	Black Bittern	<i>Ixobrychus flavicollis</i>	TO	TO	TO	
91	Gray Heron	<i>Ardea cinerea</i>	WC	WU	WC	
92	Purple Heron	<i>Ardea purpurea</i>	WO	TO	TO	
93	Great Egret	<i>Ardea alba</i>	WC / SO	WC	WC	
94	Intermediate Egret	<i>Mesophoyx intermedia</i>	WC / SO	WU	WU	
95	White-faced Heron	<i>Egretta novaehollandiae</i>	V	-	-	
96	Chinese Egret	<i>Egretta eulophotes</i>	TU	TO	TO / SO	
97	Little Egret	<i>Egretta garzetta</i>	RU / SC / WC / TC	RC	RC	
98	Pacific Reef-Heron	<i>Egretta sacra</i>	RU	RC	RU	
99	Pied Heron	<i>Egretta picata</i>	V	-	-	
100	Cattle Egret	<i>Bubulcus ibis</i>	RU / SC / WC / TC	SO / TC	RU / TU	
101	Chinese Pond-Heron	<i>Ardeola bacchus</i>	WO	SC / TC	SU / TU	
102	Javan Pond-Heron	<i>Ardeola speciosa</i>	V	-	-	
103	Striated Heron	<i>Butorides striata</i>	RU / TO	SO	TO	
104	Black-crowned Night-Heron	<i>Nycticorax nycticorax</i>	RC / WO / TO	RO	RC	
105	Rufous Night-Heron	<i>Nycticorax caledonicus</i>	V	-	-	
106	Japanese Night-Heron	<i>Gorsachius goisagi</i>	TO	TO	-	
107	Malayan Night-Heron	<i>Gorsachius melanolophus</i>	RC	-	V	
C15	Threskiornithidae					
108	Glossy Ibis	<i>Plegadis falcinellus</i>	V	-	-	
109	Sacred Ibis	<i>Threskiornis aethiopicus</i>	IU	IO	-	
110	Black-headed Ibis	<i>Threskiornis melanocephalus</i>	WO / TO	-	TO	
111	Crested Ibis	<i>Nipponia nippon</i>	V	-	-	
112	Eurasian Spoonbill	<i>Platalea leucorodia</i>	WO	TO	TO	
113	Black-faced Spoonbill	<i>Platalea minor</i>	WU / TO	TO	WU	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
C16	Pandionidae					
114	Osprey	<i>Pandion haliaetus</i>	WU	TO	RU	
C17	Accipitridae					
115	Black-shouldered Kite	<i>Elanus caeruleus</i>	RO	RO	RU	
116	Oriental Honey-buzzard	<i>Pernis ptilorhynchus</i>	RU / TC	TO	TO	
117	Black Baza	<i>Aviceda leuphotes</i>	TO	-	V	
118	Cinereous Vulture	<i>Aegypius monachus</i>	WO	-	-	
119	Crested Serpent-Eagle	<i>Spilornis cheela</i>	RC	-	V	Endemic SSP. (<i>S. c. hoya</i>)
120	Mountain Hawk-Eagle	<i>Nisaetus nipalensis</i>	RO	-	-	
121	Black Eagle	<i>Ictinaetus malayensis</i>	RO	-	-	
122	Greater Spotted Eagle	<i>Clanga clanga</i>	WO	TO	V	
123	Imperial Eagle	<i>Aquila heliaca</i>	TO	-	-	
124	Gray-faced Buzzard	<i>Butastur indicus</i>	TC / WO	TC	TU	
125	Eastern Marsh-Harrier	<i>Circus spilonotus</i>	WU / TU	TO	TO	
126	Northern Harrier	<i>Circus cyaneus</i>	WO / TO	TO	TO	
127	Pied Harrier	<i>Circus melanoleucos</i>	TO	-	TO	
128	Crested Goshawk	<i>Accipiter trivirgatus</i>	RC	V	-	Endemic SSP. (<i>A. t. formosae</i>)
129	Chinese Sparrowhawk	<i>Accipiter soloensis</i>	TC	TC	TO	
130	Japanese Sparrowhawk	<i>Accipiter gularis</i>	WO / TU	WU / TC	TO	
131	Besra	<i>Accipiter virgatus</i>	RU	TO	TO	Endemic SSP. (<i>A. v. fuscipectus</i>)
132	Eurasian Sparrowhawk	<i>Accipiter nisus</i>	WO	TO	TO	
133	Northern Goshawk	<i>Accipiter gentilis</i>	WO	TO	TO	
134	Black Kite	<i>Milvus migrans</i>	RO	TO	TO	
135	Brahminy Kite	<i>Haliaeetus indus</i>	V	-	V	
136	White-bellied Sea-Eagle	<i>Haliaeetus leucogaster</i>	V	V	V	
137	White-tailed Eagle	<i>Haliaeetus albicilla</i>	WO	-	-	
138	Rough-legged Hawk	<i>Buteo lagopus</i>	WO	-	V	
139	Common Buzzard	<i>Buteo buteo</i>	WU / TU	WC	WC	
140	Upland Buzzard	<i>Buteo hemilasius</i>	WO	TO	TO	
C18	Rallidae					
141	Red-legged Crake	<i>Rallina fasciata</i>	V	V	-	
142	Slaty-legged Crake	<i>Rallina eurizonoides</i>	RU	-	-	Endemic SSP. (<i>R. e. formosana</i>)
143	Slaty-breasted Rail	<i>Gallirallus striatus</i>	RU	V	V	Endemic SSP. (<i>G. s. taiwanus</i>)
144	Brown-cheeked Rail	<i>Rallus indicus</i>	WO	TO	TO	
145	Brown Crake	<i>Amauornis akool</i>	-	RO	-	
146	White-breasted Waterhen	<i>Amauornis phoenicurus</i>	RC	RU	RC	
147	Baillon's Crake	<i>Porzana pusilla</i>	WO	TO	-	
148	Spotted Crake	<i>Porzana porzana</i>	V	-	-	
149	Ruddy-breasted Crake	<i>Porzana fusca</i>	RC	TO	RO	
150	Band-bellied Crake	<i>Porzana paykullii</i>	V	V	-	
151	White-browed Crake	<i>Porzana cinerea</i>	TO	TO	-	
152	Watercock	<i>Gallixes cinerea</i>	SO	TO	TO	
153	Purple Swamphen	<i>Porphyrio porphyrio</i>	V	-	-	
154	Eurasian Moorhen	<i>Gallinula chloropus</i>	RC	TO	RC	
155	Eurasian Coot	<i>Fulica atra</i>	WU	TO	WC	
C19	Gruidae					
156	Demoiselle Crane	<i>Anthropoides virgo</i>	V	-	-	
157	White-naped Crane	<i>Grus vipio</i>	V	-	-	
158	Common Crane	<i>Grus grus</i>	V	-	-	
159	Hooded Crane	<i>Grus monacha</i>	V	-	-	
160	Red-crowned Crane	<i>Grus japonensis</i>	V	-	-	
C20	Recurvirostridae					
161	Black-winged Stilt	<i>Himantopus himantopus</i>	RU / WC	TO	WU / TU / RU	
162	Pied Avocet	<i>Recurvirostra avosetta</i>	WO	-	WU	
C21	Haematopodidae					
163	Eurasian Oystercatcher	<i>Haematopus ostralegus</i>	WO	SO	RU / WC	
C22	Charadriidae					
164	Black-bellied Plover	<i>Pluvialis squatarola</i>	WC	TO	WC	
165	Pacific Golden-Plover	<i>Pluvialis fulva</i>	WC	TU	WU / TU	
166	Northern Lapwing	<i>Vanellus vanellus</i>	WU	TO	TO	
167	Gray-headed Lapwing	<i>Vanellus cinereus</i>	WO / TO	TO	TO	
168	Lesser Sand-Plover	<i>Charadrius mongolus</i>	WU / TC	TO	WU / TU	
169	Greater Sand-Plover	<i>Charadrius leschenaultii</i>	WU / TC	TO	WC / TC	
170	Kentish Plover	<i>Charadrius alexandrinus</i>	RU / WC	TU	WC / RU	
171	Common Ringed Plover	<i>Charadrius hiaticula</i>	WO / TO	-	-	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
172	Long-billed Plover	<i>Charadrius placidus</i>	WO	-	V	
173	Little Ringed Plover	<i>Charadrius dubius</i>	WC / RU	TU	WC / RU	
174	Oriental Plover	<i>Charadrius veredus</i>	TO	TO	TO	
C23	Rostratulidae					
175	Greater Painted-snipe	<i>Rostratula benghalensis</i>	RC	TO	TO	
C24	Jacaniidae					
176	Pheasant-tailed Jacana	<i>Hydrophasianus chirurgus</i>	RO / TO	TO	TO	
C25	Scolopacidae					
177	Terek Sandpiper	<i>Xenus cinereus</i>	TU	TO	TU	
178	Common Sandpiper	<i>Actitis hypoleucos</i>	WC	WC / TC	WC / TC	
179	Green Sandpiper	<i>Tringa ochropus</i>	WU	TO	WU	
180	Gray-tailed Tattler	<i>Tringa brevipes</i>	TC	TU	TC	
181	Wandering Tattler	<i>Tringa incana</i>	V	-	-	
182	Spotted Redshank	<i>Tringa erythropus</i>	WO	TO	WU / TO	
183	Common Greenshank	<i>Tringa nebularia</i>	WC	TO	WC	
184	Nordmann's Greenshank	<i>Tringa guttifer</i>	TO	-	TO	
185	Lesser Yellowlegs	<i>Tringa flavipes</i>	V	-	-	
186	Marsh Sandpiper	<i>Tringa stagnatilis</i>	WU / TC	TO	TU	
187	Wood Sandpiper	<i>Tringa glareola</i>	WC / TC	TU	TU	
188	Common Redshank	<i>Tringa totanus</i>	WC	TO	WC / TC	
189	Little Curlew	<i>Numenius minutus</i>	TU	TO	TO	
190	Whimbrel	<i>Numenius phaeopus</i>	WU / TC	TO	WC / TC	
191	Far Eastern Curlew	<i>Numenius madagascariensis</i>	TU	TO	TO	
192	Eurasian Curlew	<i>Numenius arquata</i>	WU	TO	WC	
193	Black-tailed Godwit	<i>Limosa limosa</i>	WO / TU	TO	TO	
194	Bar-tailed Godwit	<i>Limosa lapponica</i>	WO / TU	TO	TU	
195	Ruddy Turnstone	<i>Arenaria interpres</i>	WC	TO	WC / TC	
196	Great Knot	<i>Calidris tenuirostris</i>	TU	TO	TU	
197	Red Knot	<i>Calidris canutus</i>	TU	TO	TU	
198	Ruff	<i>Calidris pugnax</i>	WO	TO	TO	
199	Broad-billed Sandpiper	<i>Calidris falcinellus</i>	TU	TO	TU	
200	Sharp-tailed Sandpiper	<i>Calidris acuminata</i>	TC	TO	TU	
201	Stilt Sandpiper	<i>Calidris himantopus</i>	V	-	-	
202	Curlew Sandpiper	<i>Calidris ferruginea</i>	WO / TC	TO	TU	
203	Temminck's Stint	<i>Calidris temminckii</i>	WO	TO	TO	
204	Long-toed Stint	<i>Calidris subminuta</i>	WU	TO	TO	
205	Spoon-billed Sandpiper	<i>Calidris pygmaea</i>	TO	-	TO	
206	Red-necked Stint	<i>Calidris ruficollis</i>	WC	TU	WU / TC	
207	Sanderling	<i>Calidris alba</i>	WU	TU	WC / TC	
208	Dunlin	<i>Calidris alpina</i>	WC	TO	WC / TC	
209	Little Stint	<i>Calidris minuta</i>	WO / TO	-	-	
210	Buff-breasted Sandpiper	<i>Calidris subruficollis</i>	V	-	V	
211	Pectoral Sandpiper	<i>Calidris melanotos</i>	TO	TO	-	
212	Western Sandpiper	<i>Calidris mauri</i>	V	-	-	
213	Long-billed Dowitcher	<i>Limnodromus scolopaceus</i>	WO	-	V	
214	Asian Dowitcher	<i>Limnodromus semipalmatus</i>	TO	TO	TO	
215	Jack Snipe	<i>Lymnocyptes minimus</i>	TO	-	-	
216	Latham's Snipe	<i>Gallinago hardwickii</i>	TO	-	-	
217	Common Snipe	<i>Gallinago gallinago</i>	WC	TU	WU	
218	Pin-tailed Snipe	<i>Gallinago stenura</i>	WO / TC	TO	-	
219	Swinhoe's Snipe	<i>Gallinago megala</i>	WO / TC	TO	TO	
220	Eurasian Woodcock	<i>Scolopax rusticola</i>	WO	TO	TO	
221	Red-necked Phalarope	<i>Phalaropus lobatus</i>	TC	TU	TU	
222	Red Phalarope	<i>Phalaropus fulicarius</i>	TO	TO	TO	
C26	Turnicidae					
223	Small Buttonquail	<i>Turnix sylvaticus</i>	RO	-	-	
224	Yellow-legged Buttonquail	<i>Turnix tanki</i>	V	TO	-	
225	Barred Buttonquail	<i>Turnix suscitator</i>	RC	-	-	Endemic SSP. (<i>T. s. rostratus</i>)
C27	Glareolidae					
226	Oriental Pratincole	<i>Glareola maldivarum</i>	SC	TU	TU	
C28	Stercorariidae					
227	South Polar Skua	<i>Stercorarius maccormicki</i>	V	-	-	
228	Pomarine Jaeger	<i>Stercorarius pomarinus</i>	PO	PO	-	
229	Parasitic Jaeger	<i>Stercorarius parasiticus</i>	PO	PO	-	
230	Long-tailed Jaeger	<i>Stercorarius longicaudus</i>	PO	PO	-	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
C29	Alcidae					
231	Common Murre	<i>Uria aalge</i>	V	-	-	
232	Ancient Murrelet	<i>Synthliboramphus antiquus</i>	PO	PO	-	
233	Japanese Murrelet	<i>Synthliboramphus wumizusume</i>	PO	-	-	
C30	Laridae					
234	Black-legged Kittiwake	<i>Rissa tridactyla</i>	WO	TO	TO	
235	Sabine's Gull	<i>Xema sabini</i>	V	-	-	
236	Saunders's Gull	<i>Saundersilarus saundersi</i>	WU	-	WO / TO	
237	Slender-billed Gull	<i>Chroicocephalus genei</i>	V	-	-	
238	Silver Gull	<i>Chroicocephalus novaehollandiae</i>	V	-	-	
239	Black-headed Gull	<i>Chroicocephalus ridibundus</i>	WC	TO	WC	
240	Brown-headed Gull	<i>Chroicocephalus brunnicephalu</i>	V	-	-	
241	Little Gull	<i>Hydrocoloeus minutus</i>	V	-	-	
242	Laughing Gull	<i>Leucophaeus atricilla</i>	V	-	-	
243	Franklin's Gull	<i>Leucophaeus pipixcan</i>	V	-	-	
244	Relict Gull	<i>Ichthyaetus relictus</i>	-	-	V	
245	Pallas's Gull	<i>Ichthyaetus ichthyaetus</i>	WO	-	V	
246	Black-tailed Gull	<i>Larus crassirostris</i>	WU	SC / TC	WO	
247	Mew Gull	<i>Larus canus</i>	WO	TO	WO	
248	Herring Gull	<i>Larus argentatus</i>	WO	TU	WU	
249	Caspian Gull	<i>Larus cachinnans</i>	WO	-	-	
250	Lesser Black-backed Gull	<i>Larus fuscus</i>	WO	TO	-	
251	Slaty-backed Gull	<i>Larus schistisagus</i>	WO	TO	WU	
252	Glaucous Gull	<i>Larus hyperboreus</i>	V	-	-	
253	Brown Noddy	<i>Anous stolidus</i>	SO	TO	SO	
254	Black Noddy	<i>Anous minutus</i>	V	-	-	
255	Sooty Tern	<i>Onychoprion fuscatus</i>	SO / TO	SO	-	
256	Bridled Tern	<i>Onychoprion anaethetus</i>	SU	SC	SU	
257	Aleutian Tern	<i>Onychoprion aleuticus</i>	TU	TO	-	
258	Little Tern	<i>Sterna albifrons</i>	RU / SU	TO	TU	
259	Gull-billed Tern	<i>Gelochelidon nilotica</i>	WO / TU	TO	TU	
260	Caspian Tern	<i>Hydroprogne caspia</i>	WU	-	WC	
261	Black Tern	<i>Chlidonias niger</i>	V	-	-	
262	White-winged Tern	<i>Chlidonias leucopterus</i>	WO / TC	TU	TU	
263	Whiskered Tern	<i>Chlidonias hybrida</i>	WC / TC	TU	TU	
264	Roseate Tern	<i>Sterna dougallii</i>	SU	SC	SU	
265	Black-naped Tern	<i>Sterna sumatrana</i>	SU	SC	SU	
266	Common Tern	<i>Sterna hirundo</i>	TC	TO	TO	
267	Great Crested Tern	<i>Thalasseus bergii</i>	SU	SC	SU	
268	Sandwich Tern	<i>Thalasseus sandvicensis</i>	V	-	-	
269	Lesser Crested Tern	<i>Thalasseus bengalensis</i>	V	-	-	
270	Chinese Crested Tern	<i>Thalasseus bernsteini</i>	TO	SO	-	
C31	Columbidae					
271	Rock Pigeon	<i>Columba livia</i>	IC	IO	IO	
272	Ashy Wood-Pigeon	<i>Columba pulchricollis</i>	RU	-	-	
273	Japanese Wood-Pigeon	<i>Columba janthina</i>	V	V	V	
274	Oriental Turtle-Dove	<i>Streptopelia orientalis</i>	RC	RU / TU	WC	Endemic SSP. (<i>S. o. orii</i>)
275	Eurasian Collared-Dove	<i>Streptopelia decaocto</i>	IO	-	V	
276	Red Collared-Dove	<i>Streptopelia tranquebarica</i>	RC	RO	TO	
277	Spotted Dove	<i>Streptopelia chinensis</i>	RC	RC	RC	
278	Barred Cuckoo-Dove	<i>Macropygia unchall</i>	-	V	V	
279	Philippine Cuckoo-Dove	<i>Macropygia tenuirostris</i>	RU (Lanyu)	-	-	
280	Emerald Dove	<i>Chalcophaps indica</i>	RU	-	TO	
281	Orange-breasted Pigeon	<i>Treron bicinctus</i>	V	-	-	
282	Thick-billed Pigeon	<i>Treron curvirostra</i>	-	V	-	
283	White-bellied Pigeon	<i>Treron sieboldii</i>	RU	TO	TO	
284	Whistling Green-Pigeon	<i>Treron formosae</i>	RO	V	V	Endemic SSP. (<i>T. f. formosae</i>)
285	Black-chinned Fruit-Dove	<i>Ptilinopus leclancheri</i>	RO	-	-	
C32	Cuculidae					
286	Chestnut-winged Cuckoo	<i>Clamator coromandus</i>	TO	TO	TO	
287	Pied Cuckoo	<i>Clamator jacobinus</i>	V	-	-	
288	Large Hawk-Cuckoo	<i>Hierococcyx sparverioides</i>	SC	TO	SO	
289	Hodgson's Hawk-Cuckoo	<i>Hierococcyx nisicolor</i>	V	TO	-	
290	Northern Hawk-Cuckoo	<i>Hierococcyx hyperythrus</i>	V	TO	-	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
291	Indian Cuckoo	<i>Cuculus micropterus</i>	TO	TO	TU / SU	
292	Common Cuckoo	<i>Cuculus canorus</i>	TO	TO	-	
293	Oriental Cuckoo	<i>Cuculus optatus</i>	SC	TU	TO	
294	Lesser Cuckoo	<i>Cuculus poliocephalus</i>	TO	TO	TO	
295	Plaintive Cuckoo	<i>Cacomantis merulinus</i>	V	TO	-	
296	Fork-tailed Drongo-Cuckoo	<i>Surniculus dicruroides</i>	V	TO	TO	
297	Asian Koel	<i>Eudynamis scolopaceus</i>	TO	TO	SU	
298	Greater Coucal	<i>Centropus sinensis</i>	-	RU	RC	
299	Lesser Coucal	<i>Centropus bengalensis</i>	RC	V	RO	
C33	Tytonidae					
300	Australasian Grass-Owl	<i>Tyto longimembris</i>	RO	-	WO	Endemic SSP. (<i>T. l. pithecopis</i>)
C34	Strigidae					
301	Mountain Scops-Owl	<i>Otus spilocephalus</i>	RC	-	-	Endemic SSP. (<i>O. s. hambroeki</i>)
302	Collared Scops-Owl	<i>Otus lettia</i>	RC	-	V	Endemic SSP. (<i>O. l. glabripes</i>)
303	Ryukyu Scops-Owl	<i>Otus elegans</i>	RC (Lanyu)	-	-	Endemic SSP. (<i>O. e. botelensis</i>)
304	Oriental Scops-Owl	<i>Otus sunia</i>	TU	TO	TO	
305	Tawny Fish-Owl	<i>Ketupa flavipes</i>	RO	-	-	
306	Collared Owlet	<i>Glaucidium brodiei</i>	RU	-	-	Endemic SSP. (<i>G. b. pardalotum</i>)
307	Little Owl	<i>Athene noctua</i>	V	-	V	
308	Brown Wood-Owl	<i>Strix leptogrammica</i>	RO	-	-	
309	Himalayan Owl	<i>Strix nivicola</i>	RO	-	-	Endemic SSP. (<i>S. a. yamadae</i>)
310	Long-eared Owl	<i>Asio otus</i>	WO	-	WO	
311	Short-eared Owl	<i>Asio flammeus</i>	WU	TO	WO	
312	Northern Boobook	<i>Ninox japonica</i>	RU / TU	TO	TO	
C35	Caprimulgidae					
313	Gray Nightjar	<i>Caprimulgus indicus</i>	TO	TO	TO	
314	Savanna Nightjar	<i>Caprimulgus affinis</i>	RC	TO	TO	Endemic SSP. (<i>C. a. stictomus</i>)
C36	Apodidae					
315	White-throated Needletail	<i>Hirundapus caudacutus</i>	TO	TO	TO	
316	Silver-backed Needletail	<i>Hirundapus cochinchinensis</i>	RO	-	-	Endemic SSP. (<i>H. c. formosanus</i>)
317	Himalayan Swiftlet	<i>Aerodramus brevirostris</i>	TO	-	TO	
318	Pacific Swift	<i>Apus pacificus</i>	RU / TU	SC	TO	
319	House Swift	<i>Apus nipalensis</i>	RC	RU	RC	Endemic SSP. (<i>A. n. kuntzi</i>)
C37	Alcedinidae					
320	Common Kingfisher	<i>Alcedo atthis</i>	RC / TU	RC	RC	
321	Black-backed Dwarf-Kingfisher	<i>Ceyx erithaca</i>	V	V	-	
322	Ruddy Kingfisher	<i>Halcyon coromanda</i>	TO	TO	TO	
323	White-throated Kingfisher	<i>Halcyon smymensis</i>	TO	RU	RU	
324	Black-capped Kingfisher	<i>Halcyon pileata</i>	WO / TO	TO	WU	
325	Collared Kingfisher	<i>Todiramphus chloris</i>	V	-	-	
326	Pied Kingfisher	<i>Ceryle rudis</i>	-	TO	RU	
C38	Meropidae					
327	Blue-tailed Bee-eater	<i>Merops philippinus</i>	V	-	SC	
328	Rainbow Bee-eater	<i>Merops ornatus</i>	V	-	-	
C39	Coraciidae					
329	Dollarbird	<i>Eurystomus orientalis</i>	TO	TC	TO	
C40	Upupidae					
330	Eurasian Hoopoe	<i>Upupa epops</i>	WO / TO	TC	RC / TU	
C41	Megalaimidae					
331	Taiwan Barbet	<i>Megalaima nuchalis</i>	RC	-	-	Endemic Species
C42	Picidae					
332	Eurasian Wryneck	<i>Jynx torquilla</i>	WO / TO	TO	WU	
333	Gray-capped Woodpecker	<i>Dendrocopos canicapillus</i>	RC	-	-	
334	White-backed Woodpecker	<i>Dendrocopos leucotos</i>	RU	-	-	Endemic SSP. (<i>D. l. insularis</i>)
335	Gray-faced Woodpecker	<i>Picus canus</i>	RO	-	-	
C43	Falconidae					
336	Eurasian Kestrel	<i>Falco tinnunculus</i>	WC	RU / TC	WU	
337	Amur Falcon	<i>Falco amurensis</i>	TO	TO	TO	
338	Merlin	<i>Falco columbarius</i>	WO / TO	V	-	
339	Eurasian Hobby	<i>Falco subbuteo</i>	TU	TU	TO	
340	Peregrine Falcon	<i>Falco peregrinus</i>	RO / WU / TU	TO	WU	
C44	Pittidae					
341	Hooded Pitta	<i>Pitta sordida</i>	V	-	-	
342	Fairy Pitta	<i>Pitta nympha</i>	SU	-	-	
343	Blue-winged Pitta	<i>Pitta moluccensis</i>	V	V	-	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
C45	Campephagidae					
344	Gray-chinned Minivet	<i>Pericrocotus solaris</i>	RC	-	-	
345	Long-tailed Minivet	<i>Pericrocotus ethologus</i>	V	-	-	
346	Ryukyu Minivet	<i>Pericrocotus tegimae</i>	V	V	-	
347	Ashy Minivet	<i>Pericrocotus divaricatus</i>	WO / TO	TC	TU	
348	Brown-rumped Minivet	<i>Pericrocotus cantonensis</i>	V	TO	-	
349	Large Cuckooshrike	<i>Coracina macei</i>	RO	V	-	
350	Pied Triller	<i>Lalage nigra</i>	V	-	-	
351	Black-winged Cuckooshrike	<i>Lalage melaschistos</i>	WO / TO	TU	TO	
C46	Laniidae					
352	Tiger Shrike	<i>Lanius tigrinus</i>	TO	TO	-	
353	Bull-headed Shrike	<i>Lanius bucephalus</i>	WO	TO	TO	
354	Red-backed Shrike	<i>Lanius collurio</i>	V	-	-	
355	Brown Shrike	<i>Lanius cristatus</i>	WC / TC	TC	TC	
356	Long-tailed Shrike	<i>Lanius schach</i>	RC	TU / RO	RC	
357	Chinese Gray Shrike	<i>Lanius sphenocercus</i>	V	V	TO	
C47	Vireonidae					
358	White-bellied Erpornis	<i>Erpornis zantholeuca</i>	RC	-	-	
C48	Oriolidae					
359	Black-naped Oriole	<i>Oriolus chinensis</i>	RO / TO	TU	SO / TO	
360	Maroon Oriole	<i>Oriolus traillii</i>	RU	-	-	Endemic SSP. (<i>O. t. ardens</i>)
C49	Dicruridae					
361	Black Drongo	<i>Dicrurus macrocercus</i>	RC / TO	SU	SU / RO	Endemic SSP. (<i>D. m. harterti</i>)
362	Ashy Drongo	<i>Dicrurus leucophaeus</i>	WO / TO	TC	TO	
363	Crow-billed Drongo	<i>Dicrurus annectans</i>	-	TO	-	
364	Bronzed Drongo	<i>Dicrurus aeneus</i>	RC	-	-	Endemic SSP. (<i>D. a. braunianus</i>)
365	Hair-crested Drongo	<i>Dicrurus hottentottus</i>	TO	TU	TO	
C50	Monarchidae					
366	Black-naped Monarch	<i>Hypothymis azurea</i>	RC	V	V	Endemic SSP. (<i>H. a. oberholseri</i>)
367	Japanese Paradise-Flycatcher	<i>Terpsiphone atrocaudata</i>	TO; SC / RO (Lanyu)	TO	TO	
368	Asian Paradise-Flycatcher	<i>Terpsiphone paradisi</i>	TO	TO	TO	
C51	Corvidae					
369	Eurasian Jay	<i>Garrulus glandarius</i>	RC	-	-	Endemic SSP. (<i>G. g. taiwanus</i>)
370	Azure-winged Magpie	<i>Cyanopica cyanus</i>	IO	V	-	
371	Taiwan Blue-Magpie	<i>Urocissa caerulea</i>	RC	-	-	Endemic Species
372	Gray Treepie	<i>Dendrocitta formosae</i>	RC	V	V	Endemic SSP. (<i>D. f. formosae</i>)
373	Eurasian Magpie	<i>Pica pica</i>	RC	TO	RC	
374	Eurasian Nutcracker	<i>Nucifraga caryocatactes</i>	RC	-	-	Endemic SSP. (<i>N. c. owstoni</i>)
375	Daurian Jackdaw	<i>Corvus dauuricus</i>	V	-	WO	
376	House Crow	<i>Corvus splendens</i>	V	-	-	
377	Rook	<i>Corvus frugilegus</i>	WO	TO	WO	
378	Carrion Crow	<i>Corvus corone</i>	TO	TO	WO	
379	Large-billed Crow	<i>Corvus macrorhynchos</i>	RC	V	V	
380	Collared Crow	<i>Corvus torquatus</i>	V	-	RU	
C52	Alaudidae					
381	Greater Short-toed Lark	<i>Calandrella brachydactyla</i>	V	-	-	
382	Lesser Short-toed Lark	<i>Calandrella rufescens</i>	V	V	-	
383	Sky Lark	<i>Alauda arvensis</i>	WO	TO	WO	
384	Oriental Skylark	<i>Alauda gulgula</i>	RC	RO	RU	
C53	Hirundinidae					
385	Gray-throated Martin	<i>Riparia chinensis</i>	RC	V	V	
386	Bank Swallow	<i>Riparia riparia</i>	TO	TU	TO	
387	Barn Swallow	<i>Hirundo rustica</i>	SC / WC / TC	SC	SC	
388	Pacific Swallow	<i>Hirundo tahitica</i>	RC	TU	TU	
389	Red-rumped Swallow	<i>Cecropis daurica</i>	TO	SO	TO	
390	Striated Swallow	<i>Cecropis striolata</i>	RC	-	V	
391		<i>Delichon urbicum</i>				
392	Asian House-Martin	<i>Delichon dasypus</i>	RU	-	-	
C54	Stenostiridae					
393	Gray-headed Canary-Flycatcher	<i>Culicicapa ceylonensis</i>	V	V	-	
C55	Paridae					
394	Varied Tit	<i>Poecile varius</i>	RU	V	-	Endemic SSP. (<i>P. v. castaneiventris</i>)
395	Coal Tit	<i>Periparus ater</i>	RC	-	-	Endemic SSP. (<i>P. a. ptilosus</i>)

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
396	Cinereous Tit	<i>Parus cinereus</i>	V	RO	-	
397	Green-backed Tit	<i>Parus monticolus</i>	RC	-	-	Endemic SSP. (<i>P. m. insperatus</i>)
398	Yellow Tit	<i>Parus holsti</i>	RO	-	-	Endemic Species
C56	Remizidae					
399	Chinese Penduline-Tit	<i>Remiz consobrinus</i>	V	TO	TO	
C57	Aegithalidae					
400	Black-throated Tit	<i>Aegithalos concinnus</i>	RC	RU	-	
C58	Sittidae					
401	Eurasian Nuthatch	<i>Sitta europaea</i>	RC	-	-	
C59	Troglodytidae					
402	Eurasian Wren	<i>Troglodytes troglodytes</i>	RC	-	-	Endemic SSP. (<i>T. t. taivanus</i>)
C60	Cinclidae					
403	Brown Dipper	<i>Cinclus pallasii</i>	RU	-	-	
C61	Pycnonotidae					
404	Collared Finchbill	<i>Spizixos semitorques</i>	RC	-	-	Endemic SSP. (<i>S. s. cinereicapillus</i>)
405	Styan's Bulbul	<i>Pycnonotus taivanus</i>	RC	-	-	Endemic Species
406	Light-vented Bulbul	<i>Pycnonotus sinensis</i>	RC	RC	RC	Endemic SSP. (<i>P. s. formosae</i>)
407	Sooty-headed Bulbul	<i>Pycnonotus aurigaster</i>	-	-	V	
408	Black Bulbul	<i>Hypsipetes leucocephalus</i>	RC	V	V	Endemic SSP. (<i>H. l. nigerrimus</i>)
409	Brown-eared Bulbul	<i>Hypsipetes amaurotis</i>	TO / RC (Lanyu)	V	-	Endemic SSP. (<i>H. a. harterti</i>)
410	Chestnut Bulbul	<i>Hemixos castanonotus</i>	-	-	V	
C62	Regulidae					
411	Goldcrest	<i>Regulus regulus</i>	WO / TO	TO	TO	
412	Flamecrest	<i>Regulus goodfellowi</i>	RC	-	-	Endemic Species
C63	Pnoepygidae					
413	Taiwan Cupwing	<i>Pnoepyga formosana</i>	RC	-	-	Endemic Species
C64	Cettiidae					
414	Asian Stubtail	<i>Urosphena squameiceps</i>	WO / TO	TO	WO	
415	Rufous-faced Warbler	<i>Abroscopus albogularis</i>	RC	V	-	
416	Japanese Bush-Warbler	<i>Horornis diphone</i>	WO	-	-	
417	Manchurian Bush-Warbler	<i>Horornis canturians</i>	WU	WU	WO	
418	Brownish-flanked Bush-Warbler	<i>Horornis fortipes</i>	RC / TO	RC	V	Endemic SSP. (<i>H. f. robustipes</i>)
419	Yellowish-bellied Bush-Warbler	<i>Horornis acanthizoides</i>	RC	-	-	Endemic SSP. (<i>H. a. concolor</i>)
C65	Phylloscopidae					
420	Willow Warbler	<i>Phylloscopus trochilus</i>	V	-	-	
421	Common Chiffchaff	<i>Phylloscopus collybita</i>	V	-	-	
422	Wood Warbler	<i>Phylloscopus sibilatrix</i>	V	-	-	
423	Dusky Warbler	<i>Phylloscopus fuscatus</i>	WO / TO	TU	WU	
424	Tickell's Leaf-Warbler	<i>Phylloscopus affinis</i>	-	V	-	
425	Yellow-streaked Warbler	<i>Phylloscopus armandii</i>	V	-	-	
426	Radde's Warbler	<i>Phylloscopus schwarzi</i>	TO	TO	-	
427	Pallas's Leaf-Warbler	<i>Phylloscopus proregulus</i>	TU	TU	TO	
428	Yellow-browed Warbler	<i>Phylloscopus inornatus</i>	WU	WU	WU	
429	Hume's Warbler	<i>Phylloscopus humei</i>	-	V	-	
430	Arctic Warbler	<i>Phylloscopus borealis</i>	WC	WC	WU	
431	Greenish Warbler	<i>Phylloscopus trochiloides</i>	V	-	V	
432	Pale-legged Leaf-Warbler	<i>Phylloscopus tenellipes</i>	TO	TO	TO	
433	Sakhalin Leaf-Warbler	<i>Phylloscopus borealoides</i>	TO	TO	TO	
434	Eastern Crowned Leaf-Warbler	<i>Phylloscopus coronatus</i>	TO	TO	TO	
435	Ijima's Leaf-Warbler	<i>Phylloscopus ijimae</i>	TO	-	-	
436	Claudia's Leaf-Warbler	<i>Phylloscopus claudiae</i>	V	V	-	
437	Hartert's Leaf-Warbler	<i>Phylloscopus goodsoni</i>	V	V	-	
438	Sulphur-breasted Warbler	<i>Phylloscopus ricketti</i>	V	V	-	
439	Plain-tailed Warbler	<i>Seicercus soror</i>	-	V	-	
440	Bianchi's Warbler	<i>Seicercus valentini</i>	V	-	-	
441	Chestnut-crowned Warbler	<i>Seicercus castaniceps</i>	V	-	-	
C66	Acrocephalidae					
432	Booted Warbler	<i>Hippolais caligata</i>	V	-	-	
433	Streaked Reed-Warbler	<i>Acrocephalus sorghophilus</i>	V	TO	-	
434	Black-browed Reed-Warbler	<i>Acrocephalus bistrigiceps</i>	WO / TO	TO	TO	
435	Manchurian Reed-Warbler	<i>Acrocephalus tangorum</i>	V	-	-	
436	Paddyfield Warbler	<i>Acrocephalus agricola</i>	V	-	-	
437	Blyth's Reed-Warbler	<i>Acrocephalus dumetorum</i>	V	-	-	
438	Oriental Reed-Warbler	<i>Acrocephalus orientalis</i>	WC	WC	WU	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
C67	Locustellidae					
439	Gray's Grasshopper-Warbler	<i>Locustella fasciolata</i>	TO	-	-	
440	Sakhalin Grasshopper-Warbler	<i>Locustella amnicola</i>	TO	-	-	
441	Pallas's Grasshopper-Warbler	<i>Locustella certhiola</i>	TO	TO	-	
442	Middendorff's Grasshopper-Warbler	<i>Locustella ochotensis</i>	WO / TU	TO	-	
443	Pleske's Grasshopper-Warbler	<i>Locustella pleskei</i>	TO	-	-	
444	Lanceolated Warbler	<i>Locustella lanceolata</i>	TU	TO	TO	
445	Taiwan Bush-Warbler	<i>Locustella alishanensis</i>	RC	-	-	Endemic Species
C68	Cisticolidae					
456	Zitting Cisticola	<i>Cisticola juncidis</i>	RC / TO	TU	TU	
467	Golden-headed Cisticola	<i>Cisticola exilis</i>	RU	-	-	Endemic SSP. (<i>C. e. volitans</i>)
458	Striated Prinia	<i>Prinia crinigera</i>	RC	-	-	Endemic SSP. (<i>P. c. striata</i>)
459	Yellow-bellied Prinia	<i>Prinia flaviventris</i>	RC	RO	RC	
460	Plain Prinia	<i>Prinia inornata</i>	RC	RO	RC	Endemic SSP. (<i>P. i. flavirostris</i>)
C69	Sylviidae					
461	Asian Desert Warbler	<i>Sylvia nana</i>	V	-	-	
462	Lesser Whitethroat	<i>Sylvia curruca</i>	V	-	V	
C70	Paradoxornithidae					
453	Taiwan Fulvetta	<i>Fulvetta formosana</i>	RC	-	-	Endemic Species
454	Vinous-throated Parrotbill	<i>Sinosuthora webbiana</i>	RC	-	-	Endemic SSP. (<i>S. w. bulomacha</i>)
455	Golden Parrotbill	<i>Suthora verreauxi</i>	RO	-	-	Endemic SSP. (<i>S. v. morrisoniana</i>)
C71	Zosteropidae					
456	Taiwan Yuhina	<i>Yuhina brunneiceps</i>	RC	-	-	Endemic Species
457	Chestnut-flanked White-eye	<i>Zosterops erythropleurus</i>	V	V	-	
458	Japanese White-eye	<i>Zosterops japonicus</i>	RC	RC	RC	
459	Lowland White-eye	<i>Zosterops meyeri</i>	RC (Lanyu or	-	-	
C72	Timaliidae					
470	Rufous-capped Babbler	<i>Cyanoderma ruficeps</i>	RC	-	-	Endemic SSP. (<i>C. r. praecognitum</i>)
471	Black-necklaced Scimitar-Babbler	<i>Pomatorhinus erythrocnemis</i>	RC	-	-	Endemic Species
472	Taiwan Scimitar-Babbler	<i>Megapomatorhinus erythrocnemis</i>	RC	-	-	Endemic Species
C73	Pellorneidae					
473	Dusky Fulvetta	<i>Schoeniparus brunneus</i>	RC	-	-	Endemic SSP. (<i>S. b. brunneus</i>)
C74	Leiothrichidae					
474	Gray-cheeked Fulvetta	<i>Alcippe morrisonia</i>	RC	-	-	Endemic Species
475	Hwamei	<i>Garrulax canorus</i>	IU	V	RO	
476	Taiwan Hwamei	<i>Garrulax taewanus</i>	RU	-	-	Endemic Species
477	Rufous-crowned Laughingthrush	<i>Ianthocincla ruficeps</i>	RO	-	-	Endemic Species
478	Black-throated Laughingthrush	<i>Ianthocincla chinensis</i>	IO	-	-	
479	Rusty Laughingthrush	<i>Ianthocincla poecilorhyncha</i>	RU	-	-	Endemic Species
480	White-whiskered Laughingthrush	<i>Trochalopteron morrisonianum</i>	RC	-	-	Endemic Species
481	White-eared Sibia	<i>Heterophasia auricularis</i>	RC	-	-	Endemic Species
482	Steere's Liocichla	<i>Liocichla steerii</i>	RC	-	-	Endemic Species
483	Taiwan Barwing	<i>Actinodura morrisoniana</i>	RC	-	-	Endemic Species
C75	Muscicapidae					
484	Spotted Flycatcher	<i>Muscicapa striata</i>	V	-	-	
485	Dark-sided Flycatcher	<i>Muscicapa sibirica</i>	TO	TO	TO	
486	Asian Brown Flycatcher	<i>Muscicapa latirostris</i>	TU / WO	TC	TU	
487	Gray-streaked Flycatcher	<i>Muscicapa griseisticta</i>	TU	TC	TO	
488	Brown-breasted Flycatcher	<i>Muscicapa muttui</i>	V	-	-	
489	Ferruginous Flycatcher	<i>Muscicapa ferruginea</i>	SU	TO	V	
490	Oriental Magpie-Robin	<i>Copsychus saularis</i>	IO	RU	RC	
491	White-rumped Shama	<i>Copsychus malabaricus</i>	IO	-	-	
492	Hainan Blue-Flycatcher	<i>Cyornis hainanus</i>	V	V	-	
493	Brown-chested Jungle-Flycatcher	<i>Cyornis brunneatus</i>	V	V	-	
494	Fujian Niltava	<i>Niltava davidi</i>	V	-	-	
495	Rufous-bellied Niltava	<i>Niltava sundara</i>	V	-	-	
496	Vivid Niltava	<i>Niltava vivida</i>	RU	-	-	Endemic SSP. (<i>N. v. vivida</i>)
497	Blue-and-white Flycatcher	<i>Cyanoptila cyanomelana</i>	TO	TO	TO	
498	Verditer Flycatcher	<i>Eumyias thalassinus</i>	WO	TO	TO	
499	White-browed Shortwing	<i>Brachypteryx montana</i>	RC	-	-	Endemic SSP. (<i>B. m. goodfellowi</i>)
500	Rufous-tailed Robin	<i>Larvivora sibilans</i>	TO	TO	-	
501	Japanese Robin	<i>Larvivora akahige</i>	WO	V	-	
502	Ryukyu Robin	<i>Larvivora komadori</i>	V	-	-	
503	Siberian Blue Robin	<i>Larvivora cyane</i>	TO	TO	-	

STATUS

R: Resident, **W:** Winter Visitor, **S:** Summer Visitor, **T:** Transient Migrant, **P:** Pelagic Seabird, **V:** Vagrant, **I:** Introduced species

ABUNDANCE

C: Common (70%-100% chance), **U:** Uncommon (30%-70% chance), **O:** Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
504	Bluethroat	<i>Luscinia svecica</i>	WO	TO	WO	
505	Taiwan Whistling-Thrush	<i>Myophonus insularis</i>	RC	-	-	Endemic Species
506	Blue Whistling-Thrush	<i>Myophonus caeruleus</i>	V	RC	RO / TO	
507	Little Forktail	<i>Enicurus scouleri</i>	RO	-	-	Endemic SSP. (<i>E. s. fortis</i>)
508	Siberian Rubythroat	<i>Calliope calliope</i>	WU / TC	TU	WO	
509	White-tailed Robin	<i>Cinclidium leucurum</i>	RU	-	-	Endemic SSP. (<i>C. l. montium</i>)
510	Red-flanked Bluetail	<i>Tarsiger cyanurus</i>	WU	WU	WU	
511	White-browed Bush-Robin	<i>Tarsiger indicus</i>	RO	-	-	Endemic SSP. (<i>T. i. formosanus</i>)
512	Collared Bush-Robin	<i>Tarsiger johnstoniae</i>	RC	-	-	Endemic Species
513	Taiga Flycatcher	<i>Ficedula albicilla</i>	WO / TO	TO	TO	
514	Korean Flycatcher	<i>Ficedula zanthopygia</i>	TO	TO	TO	
515	Narcissus Flycatcher	<i>Ficedula narcissina</i>	TO	TO	TO	
516	Mugimaki Flycatcher	<i>Ficedula mugimaki</i>	WO / TO	TO	TO	
517	Slaty-backed Flycatcher	<i>Ficedula hodgsonii</i>	V	-	-	
518	Snowy-browed Flycatcher	<i>Ficedula hyperythra</i>	RC	-	-	Endemic SSP. (<i>F. h. innexa</i>)
519	Red-breasted Flycatcher	<i>Ficedula parva</i>	WO	TO	TO	
520	Blue-fronted Redstart	<i>Phoenicurus frontalis</i>	V	-	-	
521	Plumbeous Redstart	<i>Phoenicurus fuliginosus</i>	RC	TO	TO	Endemic SSP. (<i>R. f. affinis</i>)
522	White-capped Redstart	<i>Phoenicurus leucocephalus</i>	-	V	-	
523	Black Redstart	<i>Phoenicurus ochruros</i>	V	V	-	
524	Daurian Redstart	<i>Phoenicurus aureus</i>	WU	WU	WU	
525	White-throated Rock-Thrush	<i>Monticola gularis</i>	V	TO	-	
526	Blue Rock-Thrush	<i>Monticola solitarius</i>	RO / WC	WC	WU	
527	Siberian Stonechat	<i>Saxicola maurus</i>	WU / TU	WU / TU	WU	
528	Gray Bushchat	<i>Saxicola ferreus</i>	TO	TU	TO	
529	Northern Wheatear	<i>Oenanthe oenanthe</i>	V	-	-	
530	Pied Wheatear	<i>Oenanthe pleschanka</i>	-	V	-	
531	Desert Wheatear	<i>Oenanthe deserti</i>	V	V	-	
532	Isabelline Wheatear	<i>Oenanthe isabellina</i>	V	-	-	
C76	Turdidae					
533	Siberian Thrush	<i>Geokichla sibirica</i>	TO	TO	TO	
534	Orange-headed Thrush	<i>Geokichla citrina</i>	V	TO	-	
535	Scaly Thrush	<i>Zoothera dauma</i>	RO/WC	WU	WU	
536	Gray-backed Thrush	<i>Turdus hortulorum</i>	TO	TO	WO	
537	Japanese Thrush	<i>Turdus cardis</i>	TO	TO	WU	
538	Eurasian Blackbird	<i>Turdus merula</i>	WO	WU	RU	
539	Island Thrush	<i>Turdus poliocephalus</i>	RO	-	-	Endemic SSP. (<i>T. p. niveiceps</i>)
540	Eyebrowed Thrush	<i>Turdus obscurus</i>	WU	TU	WU	
541	Pale Thrush	<i>Turdus pallidus</i>	WC	TU	WU	
542	Brown-headed Thrush	<i>Turdus chrysolais</i>	WC	TU	WU	
543	Red-throated Thrush	<i>Turdus ruficollis</i>	V	V	V	
544	Dusky Thrush	<i>Turdus eunomus</i>	WU	TU	WU	
545	Naumann's Thrush	<i>Turdus naumanni</i>	WU	TU	WU	
546	Chinese Thrush	<i>Turdus mupinensis</i>	V	V	-	
C77	Sturnidae					
547	Asian Glossy Starling	<i>Aplonis panayensis</i>	IU	-	-	
548	Crested Myna	<i>Acridotheres cristatellus</i>	RU	RU	RC	Endemic SSP. (<i>A. c. formosanus</i>)
549	Javan Myna	<i>Acridotheres javanicus</i>	IC	-	IO	
550	Jungle Myna	<i>Acridotheres fuscus</i>	IU	IO	-	
551	Common Myna	<i>Acridotheres tristis</i>	IC	IO	IO	
552	Black-collared Starling	<i>Gracupica nigricollis</i>	IO	-	RU	
553	Daurian Starling	<i>Sturnia sturmina</i>	TO	TO	-	
554	Chestnut-cheeked Starling	<i>Sturnia philippensis</i>	TO	TO	TO	
555	White-shouldered Starling	<i>Sturnia sinensis</i>	WU	TU	TU	
556	Chestnut-tailed Starling	<i>Sturnia malabarica</i>	IO	-	-	
557	Rosy Starling	<i>Pastor roseus</i>	V	V	V	
558	Red-billed Starling	<i>Sturnus sericeus</i>	WU	TU	WU	
559	European Starling	<i>Sturnus vulgaris</i>	TO / WO	TO	TO	
560	White-cheeked Starling	<i>Sturnus cineraceus</i>	WU	TU	WU	
C78	Dicaeidae					
561	Plain Flowerpecker	<i>Dicaeum minullum</i>	RU	-	-	Endemic SSP. (<i>D. m. uchidai</i>)
562	Fire-breasted Flowerpecker	<i>Dicaeum ignipectus</i>	RC	-	-	Endemic SSP. (<i>D. i. formosum</i>)
C79	Nectariniidae					
563	Olive-backed Sunbird	<i>Cinnyris jugularis</i>	V	-	-	
564	Fork-tailed Sunbird	<i>Aethopyga christinae</i>	V	TO	RO	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
C80	Prunellidae					
565	Alpine Accentor	<i>Prunella collaris</i>	RC	-	-	Endemic SSP. (<i>P. c. fennelli</i>)
566	Siberian Accentor	<i>Prunella montanella</i>	V	-	-	
C81	Motacillidae					
567	Western Yellow Wagtail	<i>Motacilla flava</i>	TO	TO	TO	
568	Eastern Yellow Wagtail	<i>Motacilla tschutschensis</i>	WC / TC	WU / TC	WU / TC	
569	Citrine Wagtail	<i>Motacilla citreola</i>	TO	TO	TO	
570	Gray Wagtail	<i>Motacilla cinerea</i>	WC	TC	TU	
571	White Wagtail	<i>Motacilla alba</i>	RC / WC	RC / WC	RC / WC	
572	Japanese Wagtail	<i>Motacilla grandis</i>	V	-	-	
573	Richard's Pipit	<i>Anthus richardi</i>	WU	WU	WC	
574	Blyth's Pipit	<i>Anthus godlewskii</i>	V	V	V	
575	Meadow Pipit	<i>Anthus pratensis</i>	V	-	-	
576	Tree Pipit	<i>Anthus trivialis</i>	V	V	V	
577	Olive-backed Pipit	<i>Anthus hodgsoni</i>	WC	WC / TU	WC / TU	
578	Pechora Pipit	<i>Anthus gustavi</i>	TO	TU	TO	
579	Red-throated Pipit	<i>Anthus cervinus</i>	WU	WU	WU	
580	Water Pipit	<i>Anthus spinoletta</i>	V	TO	TO	
581	American Pipit	<i>Anthus rubescens</i>	WO	TO	TO	
582	Forest Wagtail	<i>Dendronanthus indicus</i>	WO	TO	TO	
C82	Bombycillidae					
583	Bohemian Waxwing	<i>Bombycilla garrulus</i>	V	TO	-	
584	Japanese Waxwing	<i>Bombycilla japonica</i>	V	TO	-	
C83	Calcariidae					
585	Lapland Longspur	<i>Calcarius lapponicus</i>	V	-	-	
586	Snow Bunting	<i>Plectrophenax nivalis</i>	V	-	-	
C84	Emberizidae					
587	Crested Bunting	<i>Melophus lathami</i>	V	TO	TO	
588	Pine Bunting	<i>Emberiza leucocephalos</i>	V	-	-	
589	Meadow Bunting	<i>Emberiza cioides</i>	V	V	-	
590	Ochre-rumped Bunting	<i>Emberiza yessoensis</i>	V	-	-	
591	Tristram's Bunting	<i>Emberiza tristrami</i>	TO	TU	TO	
592	Chestnut-eared Bunting	<i>Emberiza fucata</i>	TO	TO	TO	
593	Yellow-browed Bunting	<i>Emberiza chrysophrys</i>	TO	WU	TO	
594	Little Bunting	<i>Emberiza pusilla</i>	WO / TU	RU / TU	TU	
595	Rustic Bunting	<i>Emberiza rustica</i>	TO	TO	TO	
596	Yellow-throated Bunting	<i>Emberiza elegans</i>	WO	TU	TO	
597	Yellow-breasted Bunting	<i>Emberiza aureola</i>	TO	TC	TO	
598	Chestnut Bunting	<i>Emberiza rutila</i>	TU	TC	TO	
599	Black-headed Bunting	<i>Emberiza melanocephala</i>	TO	TO	-	
600	Red-headed Bunting	<i>Emberiza bruniceps</i>	V	-	-	
601	Yellow Bunting	<i>Emberiza sulphurata</i>	TO	TC	TO	
602	Black-faced Bunting	<i>Emberiza spodocephala</i>	WC	WC	WC	
603	Gray Bunting	<i>Emberiza variabilis</i>	V	V	-	
604	Pallas's Bunting	<i>Emberiza pallasi</i>	WO	TO	TO	
605	Reed Bunting	<i>Emberiza schoeniclus</i>	V	-	-	
C85	Fringillidae					
606	Brambling	<i>Fringilla montifringilla</i>	WO	TO	TO	
607	Brown Bullfinch	<i>Pyrrhula nipalensis</i>	RU	-	-	Endemic SSP. (<i>P. n. uchidae</i>)
608	Gray-headed Bullfinch	<i>Pyrrhula erythaca</i>	RU	-	-	Endemic SSP. (<i>P. e. owstoni</i>)
609	Eurasian Bullfinch	<i>Pyrrhula pyrrhula</i>	V	-	-	
610	Common Rosefinch	<i>Carpodacus erythrinus</i>	WO	V	V	
611	Taiwan Rosefinch	<i>Carpodacus formosanus</i>	RC	-	-	Endemic Species
612	Pallas's Rosefinch	<i>Carpodacus roseus</i>	V	-	-	
613	Oriental Greenfinch	<i>Chloris sinica</i>	WO	RU	RU	
614	Common Redpoll	<i>Acanthis flammea</i>	V	-	-	
615	Eurasian Siskin	<i>Spinus spinus</i>	WO	TU	TU	
616	Hawfinch	<i>Coccothraustes</i>	WO	TO	TO	
		<i>coccothraustes</i>				
617	Yellow-billed Grosbeak	<i>Eophona migratoria</i>	WO	RU	RO	
618	Japanese Grosbeak	<i>Eophona personata</i>	WO	TO	TO	
C86	Passeridae					
619	House Sparrow	<i>Passer domesticus</i>	V	-	-	
620	Russet Sparrow	<i>Passer rutilans</i>	RO	-	-	
621	Eurasian Tree Sparrow	<i>Passer montanus</i>	RC	RC	RC	

STATUS

R: Resident, W: Winter Visitor, S: Summer Visitor, T: Transient Migrant, P: Pelagic Seabird, V: Vagrant, I: Introduced species

ABUNDANCE

C: Common (70%-100% chance), U: Uncommon (30%-70% chance), O: Occasional (<30% chance).

Code	English Name	Scientific Name	Distribution in			Endemism of Taiwan's Population
			Taiwan	Matsu	Kinmen	
C87	Estrildidae					
622	Orange-cheeked Waxbill	<i>Estrilda melpoda</i>	IU	-	-	
623	Indian Silverbill	<i>Euodice malabarica</i>	IU	-	-	
624	White-rumped Munia	<i>Lonchura striata</i>	RC	V	-	
625	Nutmeg Mannikin	<i>Lonchura punctulata</i>	RC	RU	RC	
626	Chestnut Munia	<i>Lonchura atricapilla</i>	RO	-	V	

STATUS

R: Resident, **W:** Winter Visitor, **S:** Summer Visitor, **T:** Transient Migrant, **P:** Pelagic Seabird, **V:** Vagrant, **I:** Introduced species

ABUNDANCE

C: Common (70%-100% chance), **U:** Uncommon (30%-70% chance), **O:** Occasional (<30% chance).